


Ostwald Farben (o), $Y_W=88,6$
 max (m) Buntwert, P50
 in der Normfarbtafel (x, y)



$X_w=86,92, Y_w=88,59, Z_w=76,63$

$x_w=0,3447 y_w=0,3513$

$A_0 = (a_0 - a_{0,n}) Y_{18} (Y/Y_{18})^{1/3}$


$B_0 = (b_0 - b_{0,n}) Y_{18} (Y/Y_{18})^{1/3}$

$a_0 = a_{20} [x/y]$

$b_0 = b_{20} [z/y]$

$a_{20} = 1, b_{20} = -0,4$

$n = P50$



$X_w=86,92, Y_w=88,59, Z_w=76,63$

$x_w=0,3447 \ y_w=0,3513$

$A_1 = (a_1 - a_{1,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_1 = (b_1 - b_{1,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_1 = a_{20} [(x-0,171)/y]$

$b_1 = b_{20} [z/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{T1}=1,000, \ b_{T1}=0,171$

$n = P50$



Ostwald Farben (o), $Y_w=88,6$
 max (m) Buntheit, P50
 Buntheiten (A^*_1, B^*_1)

$X_w=86,92, Y_w=88,59, Z_w=76,63$

$x_w=0,3447, y_w=0,3513$

$A_2 = (a_2 - a_{2,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_2 = (b_2 - b_{2,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_2 = a_{20} [(x-0,171)/y]$

$b_2 = b_{20} [(m_{P1}x + b_{P1})/y]$

$a_{20} = 1, b_{20} = -0,4$

$m_{P1} = -0,169, b_{P1} = 0,389$

$n = P50$



Ostwald Farben (o), $Y_w=88,6$

max (m) Buntwert, P50

Buntheiten (A^*_2, B^*_2)

$X_w=86,92, Y_w=88,59, Z_w=76,63$

$x_w=0,3447 \ y_w=0,3513$

$A_3 = (a_3 - a_{3,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_3 = (b_3 - b_{3,n}) Y_{18} (Y/Y_{18})^{1/3}$

$a_3 = a_{20} [(x-0,171)/y]$

$b_3 = b_{20} [(m_{D1}x+b_{D1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{D1}=-0,974, \ b_{D1}=0,658$


$n = P50$

B_3

40

A_3

40



Ostwald Farben (o), $Y_w=88,6$
 max (m) Bunwert, P50
 Buntheiten (A^*_3, B^*_3)

$X_w=86,92, Y_w=88,59, Z_w=76,63$

$x_w=0,3447 \ y_w=0,3513$

$A_4 = (a_4 - a_{4,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_4 = (b_4 - b_{4,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_4 = a_{20} [(x-0,171)/y]$

$b_4 = b_{20} [(m_{P1}x+b_{P1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{P1}=-0,169, \ b_{P1}=0,389$

$n = P50$



Ostwald Farben (o), $Y_w=88,6$

max (m) Bunwert, P50

Buntheiten (A^*_4, B^*_4)

$$X_w=86,92, Y_w=88,59, Z_w=76,63$$

$$x_w=0,3447 \quad y_w=0,3513$$

$$A_5 = (a_5 - a_{5,n}) Y_{18} (Y/Y_{18})^{1/3}$$

$$B_5 = (b_5 - b_{5,n}) Y_{18} (Y/Y_{18})^{1/3}$$


$$a_5 = a_{20} [(x-0,171)/y]$$

$$b_5 = b_{20} [(m_{D1}x+b_{D1})/y]$$

$$a_{20} = 1, \quad b_{20} = -0,4$$

$$m_{D1} = -0,974, \quad b_{D1} = 0,658$$

$$n = P50$$



Ostwald Farben (o), $Y_w=88,6$
 max (m) Bunwert, P50
 Buntheiten (A_5^*, B_5^*)

$X_w=86,92, Y_w=88,59, Z_w=76,63$

$x_w=0,3447 y_w=0,3513$

$A_6 = (a_6 - a_{6,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_6 = (b_6 - b_{6,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_6 = a_{20} [x/y]$

$b_6 = b_{20} [(m_{D1}x + b_{D1})/y]$

$a_{20} = 1, b_{20} = -0,4$

$m_{D1} = -0,974, b_{D1} = 0,658$

$n = P50$



Ostwald Farben (o), $Y_w=88,6$

max (m) Buntwert, P50

Buntheiten (A_6^*, B_6^*)