

Ostwald-Optimalfarben (o) von maximalem (m) $C_{AB,10}$ für P60, $Y_{w,10}$ =100, Y_m =520_770

i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab,10}	a'10	b'10	h _{ab,10}	i _d , λ _d	i _c , λ _c	Code
1 405	31 557	79.65	−68.11	−33.65	75.97	0.1811	−0.1021	206.2	15 477	37 587	Cm
7 435	31 559	79.93	−91.36	−9.21	91.82	0.169	−0.0895	185.7	16 483	−1 483c	
9 450	32 561	80.39	−103.0	8.15	103.32	0.1631	−0.0807	175.4	17 489	−1 489c	
12 460	32 563	80.77	−115.89	39.42	122.41	0.1566	−0.0648	161.2	21 505	−1 505c	
13 465	33 566	81.61	−114.97	52.09	126.22	0.1576	−0.0585	155.6	22 514	−1 514c	
14 470	34 571	83.23	−108.71	66.02	127.19	0.1617	−0.0521	148.7	24 524	−1 524c	
14 475	36 580	86.59	−94.74	71.83	118.89	0.1704	−0.0503	142.8	26 531	−1 531c	Gm
15 480	41 605	92.91	−55.94	93.24	108.73	0.191	−0.0427	120.9	30 550	−1 550c	
16 485	−1 484c	97.16	−19.55	110.25	111.97	0.2082	−0.0368	100.0	32 561	10 453	
18 490	−1 490c	95.88	−14.39	124.93	125.76	0.2104	−0.0298	96.5	32 563	11 458	max
19 495	−1 495c	95.07	−10.94	130.83	131.29	0.2119	−0.0268	94.7	32 564	12 461	
20 500	−1 500c	94.12	−6.91	135.84	136.01	0.2137	−0.0241	92.9	33 565	12 463	
21 510	−1 509c	93.01	−2.36	139.93	139.95	0.2158	−0.0216	90.9	33 566	12 464	
24 520	−1 520c	88.59	14.08	145.9	146.58	0.2237	−0.0152	84.4	34 571	13 469	Ym
26 530	−1 530c	84.75	26.38	143.6	146.0	0.2301	−0.0113	79.5	34 574	14 472	
28 540	−1 540c	80.23	39.05	137.72	143.15	0.2373	−0.0074	74.1	35 578	14 474	
29 545	−1 545c	77.75	45.25	133.84	141.29	0.2412	−0.0053	71.3	36 581	15 475	
30 550	−1 550c	75.11	51.25	129.47	139.25	0.2452	−0.003	68.4	36 583	15 476	
31 555	−1 555c	72.33	56.97	124.7	137.1	0.2494	0.0	65.4	37 586	15 476	
31 560	8 442	73.09	72.33	4.73	72.48	0.2578	−0.0822	3.7	−1 485c	17 485	
31 557	1 405	72.18	58.25	96.64	112.84	0.2502	−0.0308	58.9	37 587	15 477	Rm
31 559	7 435	71.85	72.06	12.63	73.16	0.2582	−0.0777	9.9	−1 483c	16 483	
32 561	9 450	71.3	79.17	−8.91	79.67	0.2626	−0.0898	353.5	−1 489c	17 489	
32 563	12 460	70.84	86.24	−31.3	91.74	0.2669	−0.1026	340.0	−1 505c	21 505	
33 566	13 465	69.77	88.84	−38.08	96.66	0.2691	−0.1067	336.7	−1 514c	22 514	
34 571	14 470	67.59	92.04	−45.71	102.77	0.2723	−0.1117	333.5	−1 524c	24 524	
36 580	14 475	62.36	98.55	−54.73	112.73	0.2802	−0.1192	330.9	−1 531c	26 531	Mm
41 605	15 480	48.56	100.41	−81.39	129.25	0.2952	−0.1469	320.9	−1 550c	30 550	
−1 484c	16 485	32.19	74.02	−111.68	133.99	0.2943	−0.199	303.5	10 453	32 561	
−1 490c	18 490	38.34	48.5	−103.66	114.44	0.2619	−0.1788	295.0	11 458	32 563	min
−1 495c	19 495	41.56	34.73	−98.88	104.8	0.2473	−0.1694	289.3	12 461	32 564	
−1 500c	20 500	44.88	20.63	−93.71	95.95	0.234	−0.1606	282.4	12 463	33 565	
−1 509c	21 510	48.29	6.59	−88.23	88.48	0.2221	−0.1524	274.2	12 464	33 566	
−1 520c	24 520	58.71	−31.45	−70.91	77.57	0.1957	−0.1315	246.0	13 469	34 571	Bm
−1 530c	26 530	65.34	−49.7	−59.65	77.64	0.1861	−0.1209	230.1	14 472	34 574	
−1 540c	28 540	71.49	−61.23	−49.12	78.5	0.1817	−0.1125	218.7	14 474	35 578	
−1 545c	29 545	74.33	−64.5	−44.24	78.22	0.181	−0.1089	214.4	15 475	36 581	
−1 550c	30 550	77.01	−66.22	−39.63	77.18	0.1811	−0.1058	210.8	15 476	36 583	
−1 555c	31 555	79.53	−66.51	−35.28	75.29	0.1819	−0.103	207.9	15 476	37 586	
8 442	31 560	78.87	−98.28	−3.94	98.36	0.1648	−0.0869	182.3	17 485	−1 485c	
380	770	100.0	0.0	0.0	0.0	0.2169	−0.0848	0.0			