


Ostwald Farben (o), $Y_W=100$

max (m) Buntwert, E00

Min der Normfarbtafel (x_{10}, y_{10})



CIE 1964

x_{10}

$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_0 = (a_0 - a_{0,n}) Y_{18} (Y/Y_{18})^{1/3}$


$B_0 = (b_0 - b_{0,n}) Y_{18} (Y/Y_{18})^{1/3}$

$a_0 = a_{20} [x/y]$

$b_0 = b_{20} [z/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$n = E00$



$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_1 = (a_1 - a_{1,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_1 = (b_1 - b_{1,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_1 = a_{20} [(x-0,171)/y]$

$b_1 = b_{20} [z/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{T1}=1,000, \ b_{T1}=0,171$

$n = E00$



Ostwald Farben (o), $Y_w=100$
 max (m) / Bunzwert, E00
 Buntheiten ($A^*_{1,10}, B^*_{1,10}$)

$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_2 = (a_2 - a_{2,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_2 = (b_2 - b_{2,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_2 = a_{20} [(x-0,171)/y]$

$b_2 = b_{20} [(m_{P1}x+b_{P1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{P1}=-0,157, \ b_{P1}=0,385$

$n = E00$



Ostwald Farben (o), $Y_w=100$

max (m) Buntwert, E00

Buntheiten ($A^*_{2,10}, B^*_{2,10}$)

$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_3 = (a_3 - a_{3,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_3 = (b_3 - b_{3,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_3 = a_{20} [(x-0,171)/y]$

$b_3 = b_{20} [(m_{D1}x+b_{D1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{D1}=-1,344, \ b_{D1}=0,781$

$n = E00$



Oswald Farben (o), $Y_w=100$
 max (m) Bunwert, E00
 Buntheiten ($A^*_{3,10}, B^*_{3,10}$)

$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_4 = (a_4 - a_{4,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_4 = (b_4 - b_{4,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_4 = a_{20} [(x-0,171)/y]$

$b_4 = b_{20} [(m_{P1}x+b_{P1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{P1}=-0,157, \ b_{P1}=0,385$

$n = E00$



Ostwald Farben (o), $Y_w=100$

max (m) Buntheiten, E00

Buntheiten ($A^*_{4,10}, B^*_{4,10}$)

$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_5 = (a_5 - a_{5,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_5 = (b_5 - b_{5,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_5 = a_{20} [(x-0,171)/y]$

$b_5 = b_{20} [(m_{D1}x+b_{D1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{D1}=-1,344, \ b_{D1}=0,781$

$n = E00$



Oswald Farben (o), $Y_w=100$
 max (m) Bunwert, E00
 Buntheiten ($A^*_{5,10}, B^*_{5,10}$)

$X_w=99,99, Y_w=99,99, Z_w=100,00$

$x_w=0,3333 \ y_w=0,3333$

$A_6 = (a_6 - a_{6,n}) Y_{18} (Y/Y_{18})^{1/3}$

$B_6 = (b_6 - b_{6,n}) Y_{18} (Y/Y_{18})^{1/3}$


$a_6 = a_{20} [x/y]$

$b_6 = b_{20} [(m_{D1}x + b_{D1})/y]$

$a_{20} = 1, \ b_{20} = -0,4$

$m_{D1} = -1,344, \ b_{D1} = 0,781$

$n = E00$



Ostwald Farben (o), $Y_W=100$

max (m) Buntwert, E00

Buntheiten ($A_{6,10}^*, B_{6,10}^*$)