

HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02_X,1}(\lambda)=B_{31}\bar{x}_{F02_X,1}(\lambda)+B_{32}\bar{y}_{F02_X,1}(\lambda)$$


$$+B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$D65: \Sigma \bar{s}_{F02_X,1}(\lambda)=22,42$$

$$x_{F02_X,1}=0,2144$$

$$y_{F02_X,1}=0,2620$$



Wellenlänge λ /nm

HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$


$$+ B_{33}\bar{z}_{F02_X,1}(\lambda)$$

B_{3j} 0,000 0,000 0,5168 $\lambda=440$

$$D50: \Sigma \bar{s}_{F02_X,1}(\lambda) = 16,76$$

$$x_{F02_X,1} = 0,2422$$

$$y_{F02_X,1} = 0,3033$$



Wellenlänge λ /nm

HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda)$$


$$+ B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$P40: \Sigma \bar{s}_{F02_X,1}(\lambda) = 13,53$$

$$x_{F02_X,1} = 0,2748$$

$$y_{F02_X,1} = 0,3324$$



Wellenlänge λ /nm

HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

B_{3j} 0,000 0,000 0,5168 $\lambda=440$

$$A00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 7,59$$

$$x_{F02_X,1} = 0,3512$$

$$y_{F02_X,1} = 0,3968$$



Wellenlänge λ/nm

HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02_X,1}(\lambda)=B_{31}\bar{x}_{F02_X,1}(\lambda)+B_{32}\bar{y}_{F02_X,1}(\lambda)$$


$$+B_{33}\bar{z}_{F02_X,1}(\lambda)$$

B_{3j} 0,000 0,000 0,5168 $\lambda=440$

$$E00: \Sigma \bar{s}_{F02_X,1}(\lambda)=21,53$$

$$x_{F02_X,1}=0,2319$$


$$y_{F02_X,1}=0,2683$$



Wellenlänge λ /nm


HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$



HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$



HPE_CIEF-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{F02_X,1}(\lambda) = B_{31}\bar{x}_{F02_X,1}(\lambda) + B_{32}\bar{y}_{F02_X,1}(\lambda) + B_{33}\bar{z}_{F02_X,1}(\lambda)$$

$$0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$Q00: \Sigma \bar{s}_{F02_X,1}(\lambda) = 26,64$$

$$x_{F02_X,1} = 0,2110$$

$$y_{F02_X,1} = 0,2389$$



Wellenlänge λ /nm