

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; D65, $Y_m=510_770$, LABHNU1_79

<i>Code</i>	<i>D65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	64.27	68.68	68.83	97.24	0.1728	-0.047	45.0	38	592	15	479
Y _{me}	510_770	91.38	-10.88	88.79	89.46	0.1249	-0.0485	96.9	33	567	14	471
G _{me}	470_570	79.32	-76.99	37.48	85.63	0.0896	-0.0702	154.0	21	508	9	449
C _m	380_570	80.3	-47.71	-24.9	53.81	0.1052	-0.1028	207.5	16	483	42	613
B _{me}	380_510	39.64	40.63	-91.86	100.44	0.1665	-0.1724	293.8	13	467	31	558
M _m	570_470	65.64	104.96	-32.83	109.97	0.1942	-0.11	342.6	7	438	20	501
R _o	570_440	64.45	84.26	13.55	85.35	0.1823	-0.0814	9.1	-1	488c	17	488
G _o	520_570	73.89	-70.29	71.33	100.15	0.0909	-0.0502	134.5	27	536	12	462
W ₁	380_770	96.0	0.0	0.0	0.0	0.13	-0.0899	345.9	12	461	27	535