

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; D65, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	66.95	71.73	72.88	102.27	0.1732	-0.0459	45.4	38	592	15	479
Y _{me} 510_770	95.2	-11.33	92.83	93.52	0.1249	-0.0481	96.9	33	567	14	471
G _{me} 470_570	82.65	-80.19	39.11	89.22	0.0893	-0.07	153.9	21	508	9	449
C _m 380_570	83.67	-49.69	-25.9	56.03	0.1051	-0.1028	207.5	16	483	42	613
B _{me} 380_510	41.08	43.03	-96.09	105.29	0.1677	-0.174	294.1	13	467	31	558
M _m 570_470	68.39	109.59	-34.23	114.81	0.1949	-0.1101	342.6	7	438	20	501
R _o 570_440	67.14	88.02	14.15	89.15	0.1829	-0.0813	9.1	-1	488c	17	488
G _o 520_570	77.0	-73.28	74.96	104.83	0.0906	-0.0496	134.3	27	536	12	462
W ₁ 380_770	100.0	0.0	0.0	0.0	0.13	-0.0899	0.0	-1	462c	-1	536c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; D50, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	69.3	75.44	63.34	98.51	0.1751	-0.0459	40.0	38	593	16	481
Y _{me} 510_770	95.95	-5.99	78.64	78.87	0.1282	-0.0479	94.3	34	570	14	471
G _{me} 470_570	81.17	-80.03	29.31	85.23	0.0897	-0.068	159.8	21	508	8	441
C _m 380_570	81.97	-57.18	-25.54	62.63	0.1017	-0.0961	204.0	17	486	42	613
B _{me} 380_510	38.04	25.76	-91.17	94.74	0.1547	-0.1674	285.7	13	469	33	565
M _m 570_470	70.33	101.39	-25.86	104.64	0.1896	-0.098	345.6	6	431	20	503
R _o 570_440	69.42	85.81	19.13	87.91	0.1811	-0.0719	12.5	-1	489c	17	489
G _o 520_570	76.16	-73.48	62.0	96.14	0.091	-0.0494	139.8	27	537	11	459
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1309	-0.0831	0.0	-1	459c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; P45, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	70.95	74.25	61.38	96.34	0.1754	-0.0459	39.5	38	593	16	482
Y _{me} 510_770	96.3	-5.26	75.01	75.19	0.1304	-0.0478	94.0	34	571	14	471
G _{me} 470_570	79.95	-82.04	27.27	86.45	0.09	-0.067	161.6	21	508	7	439
C _m 380_570	80.68	-60.06	-26.49	65.64	0.1017	-0.0949	203.8	17	486	42	612
B _{me} 380_510	36.52	24.06	-90.74	93.88	0.1557	-0.1676	284.8	13	469	33	567
M _m 570_470	71.84	97.89	-23.21	100.61	0.1885	-0.0944	346.6	5	429	20	504
R _o 570_440	71.07	84.83	16.29	86.38	0.1815	-0.0719	10.8	-1	490c	18	490
G _o 520_570	75.21	-75.45	58.13	95.25	0.0914	-0.0494	142.3	27	537	11	457
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1328	-0.0812	0.0	-1	457c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; A00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	76.97	74.73	39.34	84.45	0.18	-0.0459	27.7	39	595	17	487
Y _{me} 510_770	97.76	1.36	44.88	44.91	0.1404	-0.0473	88.2	35	576	14	471
G _{me} 470_570	74.78	-87.83	8.76	88.27	0.0915	-0.0622	174.2	21	508	-1	508c
C _m 380_570	75.16	-77.72	-24.25	81.42	0.0972	-0.0804	197.3	18	492	41	609
B _{me} 380_510	28.63	-8.87	-76.25	76.76	0.1299	-0.1525	263.3	14	472	35	577
M _m 570_470	77.32	83.12	-7.28	83.44	0.1844	-0.071	354.9	-1	508c	21	508
R _o 570_440	77.0	78.01	20.34	80.61	0.1818	-0.0561	14.6	43	618	18	493
G _o 520_570	71.45	-82.15	31.69	88.05	0.0929	-0.049	158.9	27	537	8	441
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1398	-0.0671	0.0	-1	441c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; E00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	69.56	71.45	71.46	101.06	0.175	-0.0459	45.0	38	593	15	479
Y _{me} 510_770	95.72	-10.15	88.79	89.37	0.1287	-0.0479	96.5	34	570	14	470
G _{me} 470_570	80.84	-84.48	36.49	92.03	0.0897	-0.0688	156.6	21	508	9	446
C _m 380_570	81.77	-54.72	-27.99	61.46	0.1053	-0.102	207.0	16	483	42	614
B _{me} 380_510	39.01	41.89	-96.59	105.28	0.1714	-0.1755	293.4	13	467	32	561
M _m 570_470	70.75	105.28	-30.07	109.49	0.194	-0.105	344.0	7	435	20	502
R _o 570_440	69.75	87.75	12.01	88.57	0.1844	-0.0807	7.7	-1	489c	17	489
G _o 520_570	75.59	-77.46	69.99	104.4	0.091	-0.0495	137.9	27	537	12	460
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1333	-0.0877	0.0	-1	460c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; C00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	67.51	68.71	77.01	103.21	0.1731	-0.0459	48.2	38	592	15	478
Y _{me} 510_770	95.02	-12.97	97.82	98.68	0.1262	-0.048	97.5	33	568	14	470
G _{me} 470_570	82.17	-82.41	41.02	92.05	0.09	-0.0711	153.5	21	508	10	450
C _m 380_570	83.28	-48.62	-27.43	55.82	0.1075	-0.1058	209.4	16	482	42	613
B _{me} 380_510	41.75	47.97	-98.05	109.15	0.1735	-0.1769	296.0	13	467	31	557
M _m 570_470	69.03	109.86	-34.87	115.26	0.1966	-0.1125	342.3	7	439	20	501
R _o 570_440	67.73	87.23	13.16	88.22	0.1841	-0.0842	8.5	-1	488c	17	488
G _o 520_570	76.29	-75.04	78.71	108.75	0.0913	-0.0494	133.6	27	537	12	462
W ₁ 380_770	100.0	0.0	0.0	0.0	0.132	-0.092	0.0	-1	462c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; P00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	71.58	73.33	64.34	97.56	0.1765	-0.0459	41.2	38	593	16	481
Y _{me} 510_770	96.28	-6.4	78.3	78.56	0.1318	-0.0478	94.6	34	572	14	470
G _{me} 470_570	79.38	-85.07	29.2	89.95	0.0901	-0.0673	161.0	21	508	8	440
C _m 380_570	80.16	-60.82	-27.96	66.94	0.103	-0.0972	204.6	17	485	42	614
B _{me} 380_510	36.58	29.22	-92.98	97.46	0.1625	-0.1711	287.4	13	468	33	567
M _m 570_470	72.5	98.82	-23.91	101.67	0.1905	-0.0962	346.3	5	429	20	504
R _o 570_440	71.71	85.22	15.46	86.61	0.1832	-0.0738	10.2	-1	490c	18	490
G _o 520_570	74.61	-78.33	60.35	98.89	0.0914	-0.0494	142.3	27	537	11	457
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1347	-0.0826	0.0	-1	457c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) C_{AB} ; Q00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	67.44	69.11	77.22	103.63	0.1733	-0.0459	48.1	38	592	15	478
Y _{me} 510_770	95.16	-14.07	98.02	99.02	0.1256	-0.0481	98.1	33	568	14	470
G _{me} 470_570	82.25	-83.73	43.31	94.27	0.0893	-0.0702	152.6	21	509	10	451
C _m 380_570	83.33	-48.76	-27.41	55.94	0.1074	-0.106	209.3	16	482	42	613
B _{me} 380_510	41.25	53.08	-99.09	112.41	0.1783	-0.1787	298.1	13	466	31	555
M _m 570_470	68.92	112.09	-36.21	117.79	0.1979	-0.1135	342.0	7	439	20	501
R _o 570_440	67.68	90.3	8.11	90.66	0.1858	-0.0873	5.1	-1	489c	17	489
G _o 520_570	76.54	-76.49	78.86	109.86	0.0906	-0.0496	134.1	27	536	12	462
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1319	-0.0922	0.0	-1	462c	-1	536c