

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} ; D65, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	36.56	23.71	15.9	28.55	1.5989	−0.0004	33.8	38	592	16	484
Y _{me}	510_770	88.09	−6.73	37.44	38.04	0.874	−0.0105	100.1	33	568	14	471
G _{me}	470_570	61.5	−37.48	16.25	40.86	0.3408	−0.1712	156.5	23	515	−1	515c
C _m	380_570	63.43	−23.71	−15.9	28.55	0.5766	−0.6863	213.8	16	484	38	592
B _{me}	380_510	11.9	6.73	−37.43	38.04	1.5159	−3.5796	280.1	13	466	33	565
M _m	570_470	38.49	37.48	−16.25	40.86	1.9242	−0.8579	336.5	−1	504c	20	504
R _o	570_440	36.81	29.22	4.77	29.61	1.7443	−0.3059	9.2	−1	488c	17	488
G _o	520_570	51.52	−30.44	21.53	37.29	0.3595	−0.0176	144.7	27	538	−1	538c
W ₁	380_770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0	38	591	16	484