

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P60, $Y_m=510_770$, CIELAB_76

<i>Code</i>	L^*_{10}	a^*_{10}	b^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	66.33	67.03	114.37	132.57	0.2561	0.0	59.6	39	598	14	470
Y _{me} 510_770	93.01	-2.36	139.93	139.95	0.2143	-0.0219	90.9	33	566	13	465
G _{me} 470_570	82.02	-113.59	52.8	125.26	0.1575	-0.0592	155.0	22	513	-1	513c
C _m 380_570	84.09	-63.29	-27.42	68.97	0.1838	-0.0998	203.4	15	476	-1	476c
B _{me} 380_510	48.29	6.59	-88.23	88.48	0.2206	-0.1548	274.2	13	465	32	563
M _m 570_470	69.24	89.73	-39.0	97.84	0.2681	-0.109	336.5	-1	512c	22	512
R _o 570_440	67.0	80.66	4.26	80.77	0.264	-0.0836	3.0	-1	484c	16	484
G _o 520_570	74.34	-89.11	107.75	139.83	0.1661	-0.0265	129.5	27	536	9	448
W ₁ 380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	448c	-1	536c