

Optimalfarben (o) *RYGCBM* von maximalem (m) $C_{AB,10}$; P60, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.33	72.55	70.58	101.22	0.1754	-0.0458	44.2	38	592	14	473
Y _{me}	510_770	93.01	-2.11	90.12	90.15	0.1304	-0.0473	91.3	33	566	13	465
G _{me}	470_570	82.02	-77.32	43.87	88.9	0.0919	-0.0663	150.4	21	509	7	439
C _m	380_570	84.09	-49.08	-24.78	54.98	0.1068	-0.101	206.7	15	477	44	621
B _{me}	380_510	48.29	6.08	-82.71	82.93	0.1361	-0.153	274.2	13	465	33	565
M _m	570_470	69.24	102.25	-35.58	108.26	0.1913	-0.1095	340.8	-1	498c	19	498
R _o	570_440	67.0	90.33	3.77	90.41	0.1858	-0.0864	2.3	-1	485c	17	485
G _o	520_570	74.34	-63.34	72.71	96.43	0.0963	-0.0484	131.0	27	537	10	454
W ₁	380_770	100.0	0.0	0.0	0.0	0.1313	-0.0887	0.0	-1	454c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P55, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	67.2	73.36	67.79	99.89	0.1758	-0.0458	42.7	38	592	14	474
Y _{me}	510_770	93.39	-0.74	85.89	85.89	0.1314	-0.0473	90.4	33	567	13	465
G _{me}	470_570	81.57	-77.21	40.59	87.23	0.0922	-0.0657	152.2	21	508	7	436
C _m	380_570	83.5	-51.29	-24.84	56.99	0.106	-0.099	205.8	15	478	44	621
B _{me}	380_510	47.17	2.22	-81.88	81.91	0.1335	-0.1514	271.5	13	465	33	566
M _m	570_470	69.83	99.78	-33.0	105.1	0.1898	-0.1058	341.6	-1	499c	19	499
R _o	570_440	67.79	88.95	5.78	89.13	0.1848	-0.0831	3.7	-1	485c	17	485
G _o	520_570	74.16	-63.55	68.8	93.67	0.0965	-0.0484	132.7	27	537	10	453
W ₁	380_770	100.0	0.0	0.0	0.0	0.1317	-0.0865	0.0	-1	453c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P50, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	68.23	74.13	64.45	98.23	0.1763	-0.0458	41.0	38	592	15	475
Y _{me}	510_770	93.82	0.71	80.89	80.89	0.1326	-0.0472	89.4	33	567	13	465
G _{me}	470_570	81.0	-77.26	36.8	85.58	0.0925	-0.0651	154.5	21	508	6	431
C _m	380_570	82.76	-53.92	-24.88	59.38	0.105	-0.0967	204.7	15	479	44	620
B _{me}	380_510	45.83	-2.24	-80.8	80.83	0.1305	-0.1494	268.4	13	465	33	568
M _m	570_470	70.55	97.04	-29.98	101.57	0.1883	-0.1014	342.8	-1	500c	20	500
R _o	570_440	68.74	87.42	8.0	87.78	0.1839	-0.0793	5.2	-1	486c	17	486
G _o	520_570	73.92	-63.99	64.23	90.67	0.0967	-0.0484	134.8	27	537	10	451
W ₁	380_770	100.0	0.0	0.0	0.0	0.1323	-0.0841	0.0	-1	451c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P45, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	69.48	74.8	60.4	96.14	0.1769	-0.0458	38.9	38	592	15	475
Y _{me}	510_770	94.33	2.21	74.95	74.98	0.1342	-0.0472	88.3	33	568	13	465
G _{me}	470_570	80.25	-77.6	32.4	84.09	0.0929	-0.0643	157.3	21	508	4	423
C _m	380_570	81.83	-57.1	-24.85	62.27	0.104	-0.0938	203.5	16	480	43	619
B _{me}	380_510	44.19	-7.44	-79.35	79.69	0.127	-0.147	264.6	13	466	34	570
M _m	570_470	71.47	93.97	-26.44	97.62	0.1869	-0.0963	344.2	-1	501c	20	501
R _o	570_440	69.89	85.7	10.38	86.33	0.183	-0.0751	6.9	-1	486c	17	486
G _o	520_570	73.56	-64.77	58.83	87.5	0.097	-0.0483	137.7	27	537	9	449
W ₁	380_770	100.0	0.0	0.0	0.0	0.1332	-0.0811	0.0	-1	449c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P40, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	71.0	75.23	55.43	93.45	0.1777	-0.0458	36.3	38	593	15	476
Y _{me}	510_770	94.91	3.7	67.82	67.92	0.1361	-0.0471	86.8	34	570	13	465
G _{me}	470_570	79.27	-78.35	27.29	82.97	0.0933	-0.0633	160.7	21	508	-1	508c
C _m	380_570	80.64	-60.97	-24.73	65.8	0.1029	-0.0905	202.0	16	481	43	617
B _{me}	380_510	42.15	-13.49	-77.35	78.52	0.1228	-0.1442	260.1	13	467	34	572
M _m	570_470	72.64	90.51	-22.27	93.21	0.1855	-0.0902	346.1	-1	502c	20	502
R _o	570_440	71.32	83.72	12.84	84.7	0.1824	-0.0703	8.7	-1	487c	17	487
G _o	520_570	73.04	-66.07	52.42	84.34	0.0974	-0.0482	141.5	27	538	9	446
W ₁	380_770	100.0	0.0	0.0	0.0	0.1345	-0.0777	0.0	-1	446c	-1	538c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P35, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	72.89	75.18	49.28	89.89	0.1787	-0.0458	33.2	38	594	15	478
Y _{me} 510_770	95.58	5.08	59.22	59.43	0.1387	-0.047	85.0	34	571	13	466
G _{me} 470_570	77.9	-79.76	21.37	82.58	0.094	-0.0622	165.0	21	507	-1	507c
C _m 380_570	79.05	-65.75	-24.39	70.13	0.1018	-0.0864	200.3	16	483	43	616
B _{me} 380_510	39.57	-20.52	-74.52	77.3	0.118	-0.1406	254.6	13	468	34	574
M _m 570_470	74.16	86.53	-17.4	88.26	0.1844	-0.0832	348.6	-1	503c	20	503
R _o 570_440	73.12	81.31	15.16	82.71	0.182	-0.065	10.5	-1	487c	17	487
G _o 520_570	72.24	-68.15	44.8	81.56	0.0978	-0.0481	146.6	27	538	8	440
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1364	-0.0735	0.0	-1	440c	-1	538c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P30, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	75.28	74.19	41.58	85.05	0.1801	-0.0458	29.2	38	594	16	480
Y _{me} 510_770	96.36	6.16	48.8	49.19	0.1422	-0.0469	82.8	34	573	13	466
G _{me} 470_570	75.95	-82.17	14.61	83.46	0.0948	-0.0606	169.9	21	507	-1	507c
C _m 380_570	76.84	-71.72	-23.66	75.52	0.1009	-0.0813	198.2	17	485	42	613
B _{me} 380_510	36.21	-28.55	-70.39	75.96	0.1121	-0.136	247.9	13	469	35	577
M _m 570_470	76.19	81.76	-11.79	82.6	0.1838	-0.075	351.7	-1	505c	21	505
R _o 570_440	75.44	78.14	16.86	79.94	0.1822	-0.0594	12.1	-1	488c	17	488
G _o 520_570	70.98	-71.43	35.75	79.87	0.0984	-0.048	153.4	27	538	5	429
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1395	-0.0686	0.0	-1	429c	-1	538c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P25, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	78.39	71.39	31.98	78.23	0.1821	-0.0458	24.1	39	595	16	483
Y _{me} 510_770	97.25	6.61	36.35	36.94	0.1472	-0.0467	79.6	35	576	13	466
G _{me} 470_570	73.01	-86.05	7.25	86.35	0.096	-0.0587	175.1	21	507	-1	507c
C _m 380_570	73.63	-79.16	-22.12	82.2	0.1002	-0.0751	195.6	17	488	42	610
B _{me} 380_510	31.68	-37.36	-64.11	74.21	0.1051	-0.13	239.7	14	471	36	580
M _m 570_470	78.94	75.63	-5.69	75.84	0.1841	-0.0658	355.6	-1	506c	21	506
R _o 570_440	78.47	73.51	16.98	75.45	0.1832	-0.0538	13.0	44	623	18	490
G _o 520_570	68.89	-76.47	25.24	80.53	0.0993	-0.0479	161.7	27	538	-1	538c
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1443	-0.0628	0.0	-1	490c	-1	538c