

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; D65, $Y_m=510_770$, LABHNU1_79

<i>Code</i>	<i>D65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	65.04	73.33	70.78	101.92	0.1751	-0.0458	43.9	38	591	14	473
Y _{me}	510_770	92.61	-2.0	91.43	91.46	0.1289	-0.0474	91.2	33	565	13	465
G _{me}	470_570	82.78	-75.31	44.45	87.45	0.0917	-0.067	149.4	21	508	8	440
C _m	380_570	84.95	-47.25	-23.73	52.88	0.1064	-0.1012	206.6	15	477	44	622
B _{me}	380_510	49.41	5.53	-81.78	81.97	0.1341	-0.152	273.8	13	465	32	564
M _m	570_470	68.21	103.62	-37.16	110.08	0.1913	-0.1115	340.2	2	412	19	497
R _o	570_440	65.68	90.14	6.61	90.38	0.185	-0.0854	4.1	-1	484c	16	484
G _o	520_570	74.82	-61.26	74.53	96.48	0.0961	-0.0485	129.4	27	537	11	455
W ₁	380_770	100.0	0.0	0.0	0.0	0.1298	-0.0895	0.0	-1	455c	-1	537c