

















see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta



















TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D65, $Y_w=100$

input: w/rgb/cmyk -> rgb

see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D50, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40, Y_w=100

input: w/rgb/cmyk -> rgb

















TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta



TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant A00, $Y_w=100$

input: w/rgb/cmyk -> rgb

see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta



















TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant E00, $Y_w=100$

input: w/rgb/cmyk -> rgb

see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta



















TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant C00, $Y_w=100$

input: w/rgb/cmyk -> rgb

see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-CE10/CE10L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta



















TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P00, Y_w=100

input: w/rgb/cmyk -> rgb

—see similar files: <http://farbe.li.tu-berlin.de/CE10/CE10.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



CE100-7N
TUB-test chart CE10; CIE (x, y) and chromaticities (a_i, b_i)

input: w/rgb/cmyk $\rightarrow$ rgb

Munsell Chroma=2, Value=1,2,5,8 &9 for CIE illuminant C; diagram for illuminant Q00, $Y_w=100$