

Ostwald optimal colours (o) of maximum (m) $C_{AB,10}$ for D65, $Y_{w,10}=88,6$, $Y_m=520_770$														
i_1, λ_1	i_2, λ_2	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d, λ_d	i_c, λ_c	Code			
0 405	31 556	50.11	-19.39	-16.23	25.29	0.5611	-0.7532	219.9	15 476	37 585	Cm			
6 435	31 557	50.86	-23.42	-7.79	24.68	0.4876	-0.5825	198.4	16 480	44 621				
10 450	31 559	50.96	-28.77	5.39	29.28	0.3834	-0.3234	169.3	18 491	-1 491c				
11 460	32 562	52.51	-30.03	9.32	31.45	0.3761	-0.2517	162.7	19 498	-1 498c				
12 465	33 565	53.96	-30.94	12.89	33.52	0.3747	-0.1903	157.3	21 506	-1 506c				
14 470	34 570	55.87	-31.17	18.31	36.15	0.3903	-0.1016	149.5	24 522	-1 522c				
15 475	35 579	60.81	-29.72	22.02	36.99	0.4593	-0.0672	143.4	26 533	-1 533c	Gm			
16 480	41 606	72.59	-20.95	28.25	35.17	0.6594	-0.0401	126.5	30 550	-1 550c				
16 485	-1 484c	81.76	-9.26	32.18	33.49	0.8348	-0.0356	106.0	32 560	10 454				
18 490	-1 490c	78.9	-6.71	32.38	33.07	0.863	-0.0188	101.7	32 562	11 459	max			
19 495	-1 495c	77.11	-5.03	32.05	32.44	0.8828	-0.0136	98.9	32 563	12 461				
19 500	-1 499c	77.11	-5.03	32.05	32.44	0.8828	-0.0136	98.9	32 563	12 461				
22 510	-1 510c	70.07	1.26	29.72	29.75	0.9662	-0.0051	87.5	33 566	13 466				
23 520	-1 519c	67.16	3.64	28.59	28.82	1.0024	-0.0036	82.7	33 568	13 468	Ym			
26 530	-1 530c	56.85	10.9	24.34	26.68	1.14	-0.001	65.8	34 573	14 472				
27 540	-1 539c	53.07	13.12	22.75	26.26	1.1955	-0.0005	60.0	35 576	14 473				
28 545	-1 544c	49.2	15.14	21.11	25.98	1.2559	-0.0002	54.3	35 578	14 474				
29 550	-1 549c	45.28	16.91	19.43	25.76	1.3215	-0.0001	48.9	36 580	15 475				
31 555	-1 555c	37.53	19.47	16.11	25.27	1.4668	0.0	39.6	37 586	15 476				
32 560	10 451	35.47	28.81	-5.48	29.33	1.7605	-0.5839	349.2	-1 492c	18 492				
31 556	0 405	49.88	19.39	16.23	25.29	1.3369	-0.1039	39.9	37 585	15 476	Rm			
31 557	6 435	49.13	23.42	7.79	24.68	1.4249	-0.2706	18.4	44 621	16 480				
31 559	10 450	49.03	28.77	-5.39	29.28	1.535	-0.5393	349.3	-1 491c	18 491				
32 562	11 460	47.48	30.03	-9.32	31.45	1.5806	-0.6257	342.7	-1 498c	19 498				
33 565	12 465	46.03	30.94	-12.89	33.52	1.6203	-0.7095	337.3	-1 506c	21 506				
34 570	14 470	44.12	31.16	-18.31	36.15	1.6546	-0.8444	329.5	-1 522c	24 522				
35 579	15 475	39.18	29.72	-22.02	36.99	1.7067	-0.9913	323.4	-1 533c	26 533	Mm			
41 606	16 480	27.4	20.95	-28.25	35.17	1.713	-1.4603	306.5	-1 550c	30 550				
-1 484c	16 485	18.23	9.26	-32.18	33.49	1.4561	-2.1949	286.0	10 454	32 560				
-1 490c	18 490	21.09	6.7	-32.38	33.07	1.2661	-1.9644	281.7	11 459	32 562	min			
-1 495c	19 495	22.88	5.03	-32.05	32.44	1.1683	-1.8303	278.9	12 461	32 563				
-1 499c	19 500	22.88	5.03	-32.05	32.44	1.1683	-1.8303	278.9	12 461	32 563				
-1 510c	22 510	29.92	-1.26	-29.72	29.75	0.9057	-1.4227	267.5	13 466	33 566				
-1 519c	23 520	32.83	-3.64	-28.59	28.82	0.8369	-1.3001	262.7	13 468	33 568	Bm			
-1 530c	26 530	43.14	-10.9	-24.34	26.68	0.6953	-0.9936	245.8	14 472	34 573				
-1 539c	27 540	46.92	-13.12	-22.75	26.26	0.6683	-0.9141	240.0	14 473	35 576				
-1 544c	28 545	50.79	-15.14	-21.11	25.98	0.6499	-0.8449	234.3	14 474	35 578				
-1 549c	29 550	54.71	-16.91	-19.43	25.76	0.639	-0.7846	228.9	15 475	36 580				
-1 555c	31 555	62.46	-19.47	-16.11	25.27	0.6363	-0.6873	219.6	15 476	37 586				
10 451	32 560	64.52	-28.81	5.48	29.33	0.5015	-0.3443	169.2	18 492	-1 492c				
380	770	88.59	0.0	0.0	0.01	0.9481	-0.4293	0.0						