



LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$




LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$




LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$




LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$




LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$




LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$



LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$



LMS_R17M1 cone excitation

$$\log \left[\frac{l_{R17M1,s}(\lambda)}{\{0,5\bar{l}_{R17M1,s}(\lambda)+0,5\bar{m}_{R17M1,s}(\lambda)\}} \right]$$

