

LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

2,0

$B_{2j}$

-0,4761

1,3333

0,1428

$\lambda=540$

$$D65: \sum \bar{m}_{R17M2,1}(\lambda) = 21,33$$

$$x_{R17M2,1} = 0,3173$$

$$y_{R17M2,1} = 0,3316$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

D65

LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

$$B_{2j} \quad -0,4761 \quad 1,3333 \quad 0,1428 \quad \lambda=540$$

$$D50: \sum \bar{m}_{R17M2,1}(\lambda) = 20,48$$

$$x_{R17M2,1}=0,3436$$

$$y_{R17M2,1}=0,3617$$



LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

2,0

$B_{2j}$

-0,4761 1,3333 0,1428  $\lambda=540$

$$P40: \sum \bar{m}_{R17M2,1}(\lambda) = 20,00$$

$$x_{R17M2,1} = 0,3718$$

$$y_{R17M2,1} = 0,3788$$

1,0

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

P40

LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

2,0

$B_{2j}$

-0,4761 1,3333 0,1428  $\lambda=540$

$$A00: \sum \bar{m}_{R17M2,1}(\lambda) = 19,13$$

$$x_{R17M2,1} = 0,4289$$

$$y_{R17M2,1} = 0,4140$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

A00

LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

$$B_{2j} \quad -0,4761 \quad 1,3333 \quad 0,1428 \quad \lambda=540$$

$$E00: \sum \bar{m}_{R17M2,1}(\lambda) = 21,18$$

$$x_{R17M2,1} = 0,3332$$

$$y_{R17M2,1} = 0,3333$$



LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

2,0

$B_{2j}$

-0,4761 1,3333 0,1428  $\lambda=540$

$$C00: \sum \bar{m}_{R17M2,1}(\lambda) = 20,69$$

$$x_{R17M2,1} = 0,3167$$

$$y_{R17M2,1} = 0,3213$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

C00

LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

2,0

$B_{2j}$

-0,4761 1,3333 0,1428  $\lambda=540$

$$P00: \sum \bar{m}_{R17M2,1}(\lambda) = 20,61$$

$$x_{R17M2,1} = 0,3552$$

$$y_{R17M2,1} = 0,3542$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

P00

LMS\_R17M2 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M2,1}(\lambda) = B_{21}\bar{x}_{R17M2,1}(\lambda) + B_{22}\bar{y}_{R17M2,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M2,1}(\lambda)$$

2,0

$$B_{2j}$$

$$-0,4761 \quad 1,3333 \quad 0,1428 \quad \lambda=540$$

$$Q00: \sum \bar{m}_{R17M2,1}(\lambda) = 21,89$$

$$x_{R17M2,1} = 0,3124$$

$$y_{R17M2,1} = 0,3099$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

Q00