

LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

D65: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 105,57$

$x_{\text{R17M3},s} = 0,3187$

$y_{\text{R17M3},s} = 0,3310$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

D50: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 79,80$

$x_{\text{R17M3},s} = 0,3418$

$y_{\text{R17M3},s} = 0,3628$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P40: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 63,85$

$x_{\text{R17M3},s} = 0,3675$

$y_{\text{R17M3},s} = 0,3815$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

A00: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 36,89$

$x_{\text{R17M3},s} = 0,4199$

$y_{\text{R17M3},s} = 0,4206$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

E00: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 99,93$

$x_{\text{R17M3},s} = 0,3333$

$y_{\text{R17M3},s} = 0,3333$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

C00: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 113,35$

$x_{\text{R17M3},s} = 0,3185$

$y_{\text{R17M3},s} = 0,3205$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P00: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 81,17$

$x_{\text{R17M3},s} = 0,3528$

$y_{\text{R17M3},s} = 0,3556$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$

$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$Q00: \Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 123,57$$

$$x_{\text{R17M3},s} = 0,3150$$

$$y_{\text{R17M3},s} = 0,3087$$

