

LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P60: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 103,14$

$x_{\text{R17M3},s} = 0,3252$

$y_{\text{R17M3},s} = 0,3314$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P55: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 94,43$

$x_{\text{R17M3},s} = 0,3325$

$y_{\text{R17M3},s} = 0,3415$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P50: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 84,97$

$x_{\text{R17M3},s} = 0,3415$

$y_{\text{R17M3},s} = 0,3531$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P45: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 74,76$

$x_{\text{R17M3},s} = 0,3529$

$y_{\text{R17M3},s} = 0,3664$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P40: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 63,85$

$x_{\text{R17M3},s} = 0,3675$

$y_{\text{R17M3},s} = 0,3815$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P35: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 52,35$

$x_{\text{R17M3},s} = 0,3863$

$y_{\text{R17M3},s} = 0,3982$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P30: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 40,50$

$x_{\text{R17M3},s} = 0,4110$

$y_{\text{R17M3},s} = 0,4155$



LMS_R17M3 cone sensitivity $Y_{\text{sum}}=100$

$$\bar{s}_{\text{R17M3},s}(\lambda) = B_{31}\bar{x}_{\text{R17M3},s}(\lambda) + B_{32}\bar{y}_{\text{R17M3},s}(\lambda) + B_{33}\bar{z}_{\text{R17M3},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P25: $\Sigma \bar{s}_{\text{R17M3},s}(\lambda) = 28,75$

$x_{\text{R17M3},s} = 0,4434$

$y_{\text{R17M3},s} = 0,4309$

