

LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

$$B_{2j} \quad -0,2525 \quad 1,3333 \quad 0,1717 \quad \lambda=540$$

$$P60: \sum \bar{m}_{R17M5,1}(\lambda) = 21,31$$

$$x_{R17M5,1} = 0,4907$$

$$y_{R17M5,1} = 0,2501$$



LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

$$B_{2j} \quad -0,2525 \quad 1,3333 \quad 0,1717 \quad \lambda=540$$

$$P55: \sum \bar{m}_{R17M5,1}(\lambda) = 21,03$$

$$x_{R17M5,1} = 0,4990$$

$$y_{R17M5,1} = 0,2562$$



LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

$$B_{2j} \quad -0,2525 \quad 1,3333 \quad 0,1717 \quad \lambda=540$$

$$P50: \sum \bar{m}_{R17M5,1}(\lambda) = 20,72$$

$$x_{R17M5,1} = 0,5091$$

$$y_{R17M5,1} = 0,2631$$



LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

$$B_{2j} \quad -0,2525 \quad 1,3333 \quad 0,1717 \quad \lambda=540$$

$$P45: \sum \bar{m}_{R17M5,1}(\lambda) = 20,38$$

$$x_{R17M5,1} = 0,5217$$

$$y_{R17M5,1} = 0,2708$$



LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

2,0

$B_{2j}$

-0,2525

1,3333

0,1717

$\lambda=540$

$$P40: \sum \bar{m}_{R17M5,1}(\lambda) = 20,00$$

$$x_{R17M5,1} = 0,5374$$

$$y_{R17M5,1} = 0,2789$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

P40

LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$


$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

$$B_{2j} \quad -0,2525 \quad 1,3333 \quad 0,1717 \quad \lambda=540$$

$$P35: \sum \bar{m}_{R17M5,1}(\lambda) = 19,61$$

$$x_{R17M5,1} = 0,5572$$

$$y_{R17M5,1} = 0,2872$$



LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

2,0

$B_{2j}$

-0,2525

1,3333

0,1717

$\lambda=540$

$$P30: \sum \bar{m}_{R17M5,1}(\lambda) = 19,23$$

$$x_{R17M5,1} = 0,5825$$

$$y_{R17M5,1} = 0,2944$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

P30

LMS\_R17M5 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M5,1}(\lambda) = B_{21}\bar{x}_{R17M5,1}(\lambda) + B_{22}\bar{y}_{R17M5,1}(\lambda)$$

$$+ B_{23}\bar{z}_{R17M5,1}(\lambda)$$

$$B_{2j} \quad -0,2525 \quad 1,3333 \quad 0,1717 \quad \lambda=540$$

$$P25: \sum \bar{m}_{R17M5,1}(\lambda) = 18,95$$

$$x_{R17M5,1} = 0,6143$$

$$y_{R17M5,1} = 0,2985$$

