

LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P60: \Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 103,14$$

$$x_{\text{R17M6},s} = 0,4910$$

$$y_{\text{R17M6},s} = 0,2500$$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P55: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 94,43$

$x_{\text{R17M6},s} = 0,4990$

$y_{\text{R17M6},s} = 0,2563$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P50: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 84,97$

$x_{\text{R17M6},s} = 0,5088$

$y_{\text{R17M6},s} = 0,2634$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P45: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 74,76$

$x_{\text{R17M6},s} = 0,5209$

$y_{\text{R17M6},s} = 0,2712$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P40: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 63,85$

$x_{\text{R17M6},s} = 0,5362$

$y_{\text{R17M6},s} = 0,2797$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P35: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 52,35$

$x_{\text{R17M6},s} = 0,5556$

$y_{\text{R17M6},s} = 0,2883$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P30: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 40,50$

$x_{\text{R17M6},s} = 0,5804$

$y_{\text{R17M6},s} = 0,2960$



LMS_R17M6 cone sensitivity $Y_{\text{sum}}=100$

$$\bar{s}_{\text{R17M6},s}(\lambda) = B_{31}\bar{x}_{\text{R17M6},s}(\lambda) + B_{32}\bar{y}_{\text{R17M6},s}(\lambda) + B_{33}\bar{z}_{\text{R17M6},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P25: $\Sigma \bar{s}_{\text{R17M6},s}(\lambda) = 28,75$

$x_{\text{R17M6},s} = 0,6118$

$y_{\text{R17M6},s} = 0,3005$

