



log[sensitivity]

$$\begin{aligned} \log L_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02 \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

log [L_a, M_a]

log[saturation]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [L_d/V_o, M_d/V_o] &= \log [L_o/V_o, M_o/V_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

log L_O = -0,35[u_λ - u₅₇₀]²

$$\begin{aligned} \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02 \\ \text{saturation } V &= \log M_o + 0,02 \end{aligned}$$

CEQ21-1A

log[sensitivity]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [V_a, L_a, M_a] &= \log [V_o, L_o, M_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

CEQ21-3A

log[saturation]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [V_a/V_o, L_d/V_o, M_d/V_o] &= \log [V_o/V_o, L_o/V_o, M_o/V_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

CEQ21-4A

adaptation
L&M: 557
 $t_s = 0.04$ 557:
 $L_O = -0.02$ $L_d = -0.00$
 $V_O = 0.00$ $V_d = -0.00$
 $M_O = -0.02$ $M_d = -0.00$

CEQ21-3A

log L_O = -0,35[u_λ - u₅₇₀]²

$$\begin{aligned} \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02 \\ \text{saturation } V &= \log M_o + 0,02 \end{aligned}$$

CEQ21-4A

log[sensitivity]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [V_a, M_a] &= \log [V_o, M_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

CEQ21-5A

log[saturation]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [V_a/V_o, M_d/V_o] &= \log [V_o/V_o, M_d/V_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

CEQ21-6A

adaptation
L&M: 557
 $t_s = 0.04$ 557:
 $L_O = -0.02$ $L_d = -0.00$
 $V_O = 0.00$ $V_d = -0.00$
 $M_O = -0.02$ $M_d = -0.00$

CEQ21-5A

log L_O = -0,35[u_λ - u₅₇₀]²

$$\begin{aligned} \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02 \\ \text{saturation } V &= \log M_o + 0,02 \end{aligned}$$

CEQ21-6A

log[sensitivity]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [V_a, L_a] &= \log [V_o, L_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

CEQ21-7A

log[saturation]

$$\begin{aligned} \log V_o &= -0,35[u_{\lambda} - u_{570}]^2 \\ \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00 \\ \log [V_a/V_o, L_d/V_o] &= \log [V_o/V_o, L_d/V_o] \\ u_{\lambda} &= (\lambda - 550)/50 \end{aligned}$$

CEQ21-8A

adaptation
L&M: 557
 $t_s = 0.04$ 557:
 $L_O = -0.02$ $L_d = -0.00$
 $V_O = 0.00$ $V_d = -0.00$

CEQ21-7A

log L_O = -0,35[u_λ - u₅₇₀]²

$$\begin{aligned} \log M_o &= -0,35[u_{\lambda} - u_{557}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02 \\ \text{saturation } V &= \log M_o + 0,02 \end{aligned}$$

CEQ21-8A

log[saturation]

557:
 $L_O = -0.02$ $L_d = -0.00$
 $V_O = 0.00$ $V_d = -0.00$

CEQ21-7A