

Ostwald optimal colours (o), maximum (m) C _{AB} for D65, Y _N =0, Y _W =100, Y _m =520_770													
i ₁ , λ ₁	i ₂ , λ ₂	Y	A ₂	B ₂	C _{AB,2}	a ₂	b ₂	h _{xy,2}	i _d , λ _d	i _c , λ _c	Code		
0 405	32 561	53.78	−54.31	−31.0	62.54	0.2119	−0.7237	209.7	16 483	37 589	Cm		
6 435	32 562	54.39	−57.35	−17.07	59.84	0.1941	−0.5924	196.5	17 486	42 610			
10 450	32 563	55.1	−61.58	8.66	62.18	0.1689	−0.3568	171.9	19 496	−1 496c			
12 460	33 565	55.49	−62.52	21.67	66.17	0.1652	−0.2401	160.8	21 505	−1 505c			
12 465	33 567	56.83	−62.56	22.84	66.6	0.1756	−0.2344	159.9	21 506	−1 506c			
14 470	33 569	58.03	−61.84	33.59	70.37	0.1897	−0.146	151.4	24 520	−1 520c	Gm		
15 475	34 573	60.12	−60.2	38.91	71.68	0.2153	−0.1118	147.1	25 528	−1 528c			
16 480	36 580	63.83	−56.74	44.81	72.3	0.2603	−0.0844	141.7	27 537	−1 537c			
17 485	39 595	71.51	−44.75	53.44	69.7	0.3656	−0.0617	129.9	29 548	−1 548c			
18 490	−1 490c	84.64	−0.37	66.34	66.34	0.6141	−0.0435	90.3	33 565	11 459	max		
19 495	−1 495c	83.35	2.27	66.32	66.36	0.6268	−0.0375	88.0	33 566	12 462			
20 500	−1 500c	81.72	5.48	65.77	66.0	0.6427	−0.033	85.2	33 567	12 464			
22 510	−1 510c	77.28	13.69	63.03	64.5	0.6867	−0.0276	77.7	33 569	13 469			
23 520	−1 519c	74.43	18.52	60.88	63.64	0.7154	−0.0264	73.0	34 570	14 471	Ym		
25 530	−1 529c	67.57	28.94	55.31	62.43	0.7872	−0.0261	62.3	34 573	15 475			
27 540	−1 539c	59.67	38.98	48.65	62.34	0.8772	−0.0278	51.2	35 577	15 478			
28 545	−1 544c	55.55	43.4	45.11	62.6	0.9284	−0.0293	46.1	35 579	15 479			
29 550	−1 549c	51.35	47.29	41.49	62.91	0.9843	−0.0314	41.2	36 582	16 480			
30 555	−1 554c	47.14	50.49	37.85	63.11	1.0443	−0.0339	36.8	36 584	16 481			
32 560	−1 560c	39.03	54.42	30.81	62.54	1.1736	−0.0406	29.5	37 589	16 483			
32 561	0 405	46.21	54.32	31.01	62.54	1.086	−0.0999	29.7	37 589	16 483	Rm		
32 562	6 435	45.6	57.35	17.07	59.84	1.1189	−0.2481	16.5	42 610	17 486			
32 563	10 450	44.89	61.57	−8.65	62.17	1.1645	−0.5318	351.9	−1 496c	19 496			
33 565	12 460	44.5	62.5	−21.67	66.15	1.1777	−0.6789	340.8	−1 505c	21 505			
33 567	12 465	43.16	62.55	−22.84	66.59	1.1956	−0.7	339.9	−1 506c	21 506			
33 569	14 470	41.96	61.82	−33.58	70.35	1.2052	−0.8356	331.4	−1 520c	24 520	Mm		
34 573	15 475	39.87	60.18	−38.89	71.66	1.2196	−0.9231	327.1	−1 528c	25 528			
36 580	16 480	36.16	56.72	−44.79	72.27	1.2433	−1.0547	321.7	−1 537c	27 537			
39 595	17 485	28.48	44.72	−53.42	69.67	1.2439	−1.373	309.9	−1 548c	29 548			
−1 490c	18 490	15.35	0.37	−66.29	66.29	0.6255	−2.5947	270.3	11 459	33 565	min		
−1 495c	19 495	16.64	−2.27	−66.28	66.32	0.5613	−2.4259	268.0	12 462	33 566			
−1 500c	20 500	18.27	−5.48	−65.73	65.96	0.4959	−2.2338	265.2	12 464	33 567			
−1 510c	22 510	22.71	−13.68	−63.0	64.47	0.3749	−1.822	257.7	13 469	33 569			
−1 519c	23 520	25.56	−18.51	−60.86	63.61	0.3262	−1.6259	253.0	14 471	34 570	Bm		
−1 529c	25 530	32.42	−28.93	−55.3	62.41	0.2589	−1.2882	242.3	15 475	34 573			
−1 539c	27 540	40.32	−38.97	−48.64	62.32	0.2292	−1.0385	231.2	15 478	35 577			
−1 544c	28 545	44.44	−43.39	−45.1	62.59	0.2253	−0.9428	226.1	15 479	35 579			
−1 549c	29 550	48.64	−47.28	−41.48	62.9	0.2271	−0.8618	221.2	16 480	36 582			
−1 554c	30 555	52.85	−50.48	−37.85	63.1	0.2337	−0.7935	216.8	16 481	36 584			
−1 560c	32 560	60.96	−54.41	−30.81	62.53	0.2588	−0.6881	209.5	16 483	37 589			
W0 380	770	100.0	0.0	0.0	0.0	0.6159	−0.3483	0.0	B _c =0.800				