

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; t_{sa} = 0,00; E00, D65$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; t_{sa} = 0,00; E00, D50$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; \quad t_{sa} = 0,00; \quad E00, P40$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; \quad t_{sa} = 0,00; \quad E00, A00$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; t_{sa} = 0,00; E00, E00$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; \quad t_{sa} = 0,00; \quad E00, C00$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; t_{sa} = 0,00; E00, P00$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm

XYZ\_17Ms RG-Normspektralwert-Erregung; XYZ<sub>w</sub>

$$\bar{a}_{17MsE,D}(\lambda) = \log [\bar{x}_{17MsE,D}(\lambda) / \bar{y}_{17MsE,D}(\lambda)]$$

$$\bar{y}_{17MsE,D}(\lambda) = [0,5 \bar{l}_{17MsE,D}(\lambda) + 0,5 \bar{m}_{17MsE,D}(\lambda)]$$


$$\bar{x}_{17MsE,D}(\lambda) = [A_{11} \bar{l}_{17MsE,D}(\lambda) + A_{12} \bar{m}_{17MsE,D}(\lambda) + A_{13} \bar{s}_{17MsE,D}(\lambda)] S(\lambda)_{E,D}; t_{sa} = 0,00; E00, Q00$$

$$A_{1j}: 1,3200 \quad -0,6600 \quad 0,3400 \quad (\lambda = 570)$$

$$x_{17MsE,D} = 0,3333; 0,3333$$

$$y_{17MsE,D} = 0,3333; 0,3333$$

$$\Sigma \bar{x}_{17MsE,D}(\lambda) = 100,00; 99,99$$



Wellenlänge  $\lambda$ /nm