

HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

B_{3j} 0,000 0,000 0,4657 $\lambda=440$

D65: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 10,99$

$x_{F10_X,1} = 0,3133$

$y_{F10_X,1} = 0,3305$



Wellenlänge λ /nm

HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda) + B_{33}\bar{z}_{F10_X,1}(\lambda)$$

B_{3j} 0,000 0,000 0,4657 $\lambda=440$

D50: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 8,21$

$x_{F10_X,1} = 0,3483$

$y_{F10_X,1} = 0,3607$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$
 $\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda)$
 $+ B_{33}\bar{z}_{F10_X,1}(\lambda)$

B_{3j} 0,000 0,000 0,4657 $\lambda = 440$

P40: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 6,63$

$x_{F10_X,1} = 0,3831$

$y_{F10_X,1} = 0,3775$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$
 $\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda)$
 $+ B_{33}\bar{z}_{F10_X,1}(\lambda)$

B_{3j} 0,000 0,000 0,4657 $\lambda = 440$

A00: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 3,72$

$x_{F10_X,1} = 0,4526$

$y_{F10_X,1} = 0,4086$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$
 $\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda)$
 $+ B_{33}\bar{z}_{F10_X,1}(\lambda)$

B_{3j} 0,000 0,000 0,4657 $\lambda = 440$

E00: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 10,55$

$x_{F10_X,1} = 0,3331$

$y_{F10_X,1} = 0,3330$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$
 $\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda)$
 $+ B_{33}\bar{z}_{F10_X,1}(\lambda)$

B_{3j} 0,000 0,000 0,4657 $\lambda = 440$

C00: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 11,59$

$x_{F10_X,1} = 0,3101$

$y_{F10_X,1} = 0,3185$




HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$
 $\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda)$
 $+ B_{33}\bar{z}_{F10_X,1}(\lambda)$

B_{3j} 0,000 0,000 0,4657 $\lambda = 440$

P00: $\Sigma \bar{s}_{F10_X,1}(\lambda) = 8,55$

$x_{F10_X,1} = 0,3616$

$y_{F10_X,1} = 0,3533$



HPE_CIEF10_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$
 $\bar{s}_{F10_X,1}(\lambda) = B_{31}\bar{x}_{F10_X,1}(\lambda) + B_{32}\bar{y}_{F10_X,1}(\lambda)$
 $+ B_{33}\bar{z}_{F10_X,1}(\lambda)$

