


lin[Empfindlichkeit]

$$\begin{aligned}\log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02 \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

[L<sub>a</sub>, M<sub>a</sub>]

Ma Vo La




CGP21-1A

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a, L_a, M_a] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Ma Vo La




CGP21-2A

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a, M_a] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Ma Vo




CGP21-3A

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a, L_a] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Vo La




CGP21-7A

lin[Sättigung]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{557}]^2 \\ \log V_a &= \log V_o + 0,00\end{aligned}$$

[L<sub>a</sub>/V<sub>o</sub>, M<sub>a</sub>/V<sub>o</sub>]

Ma Vo La




CGP21-1B

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a/V_o, L_a/V_o, M_a/V_o] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Ma Vo La




CGP21-2B

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a/V_o, M_a/V_o] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Ma Vo




CGP21-3B

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a, L_a] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Vo La




CGP21-7B

lin[Sättigung]

$$\begin{aligned}\log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log L_a &= \log L_o + 0,02 \\ \log M_a &= \log M_o + 0,02\end{aligned}$$

Sättigung V

Ma Vo La




CGP21-1C

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a/V_o, L_a/V_o, M_a/V_o] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Ma Vo La




CGP21-2C

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a/V_o, M_a/V_o] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Ma Vo




CGP21-3C

lin[Empfindlichkeit]

$$\begin{aligned}\log V_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{555}]^2 \\ \log V_a &= \log V_o + 0,00 \\ [V_a, L_a] & \\ u_\lambda &= (\lambda - 550)/50\end{aligned}$$

Vo La



CGP21-7C

CGP21-7N