

lin[Empfindlichkeit]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o + 0,00$   
 $[G_o, B_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR91-1A

lin[Empfindlichkeit]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o - 0,35$   
 $[G_o, L_a, B_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR91-2A

lin[Empfindlichkeit]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o - 0,35$   
 $[G_o, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR91-3A

lin[Empfindlichkeit]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o - 0,35$   
 $[G_o, L_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR91-5A

lin[Sättigung]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o + 0,00$   
 $[L_o/G_o, B_o/G_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$



CGR91-1B

lin[Sättigung]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o - 0,35$   
 $[G_o/G_a, L_o/G_a, B_o/G_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$



CGR91-2B

lin[Empfindlichkeit]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o - 0,35$   
 $[G_o, B_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$



CGR91-3B

lin[Empfindlichkeit]  
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log G_a = \log G_o - 0,35$   
 $[G_o, L_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log B_a = \log B_o + 0,00$



CGR91-5B

CGR91-7N