



CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0,0$ to $88,6$




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

a_b tristimulus value Y , and chromaticities a_1, b_1, c_{ab1}
in the range $Y=0,0$ to $88,6$




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0,0$ to $88,6$




CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0,0$ to $88,6$




CIE-E00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0,0$ to $88,6$




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
in the range $Y=0,0$ to $88,6$




CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
in the range $Y=0,0$ to $88,6$



CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, and *sRGB* data (—)

ab tristimulus value Y , and chromaticities a_1, b_1, c_{abl}
 in the range $Y=0,0$ to $88,6$



1-000030-L0

DE071-8A_8_8