




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (—)



CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (—)




1-000030-L0


DE110-2A\_2\_3

CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)

tristimulus value  $Y$ , and chromatic values  $A_1, B_1, C_{AB1}$   
 in the range  $Y=0$  to 100




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)




I-000030-L0

DE110-2A\_2\_5

**CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)



CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (—)



CIE-Q00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data (— —)

