


CIE-P60 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)


a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



1-000030-L0

DE121-7A_7_1

CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)




1-000030-L0

DE121-7A_7_2

CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}

in the range $Y=0,0$ to $88,6$




1-000030-L0

DE121-7A_7_3


CIE-P45 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* , CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-P30 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-P25 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

a^* , b^* CIELAB lightness L^* , and chroma a^* , b^* , C^*_{ab}
 in the range $Y=0,0$ to $88,6$

