




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods




CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods

a^*b^* CIELAB lightness L^* , and chroma a^*, b^*, C^*_{ab}
 in the range $Y=0,0$ to $88,6$



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$, 2 calculation methods

a tristimulus value Y , and chromaticities a_1 , b_1 , c_{abi}
 in the range $Y=0,0$ to $88,6$

15
 10
 5
 0
 -5
 -10

Y

100

80

60

40

20

0

400 500 600 700;495c 567c;400

561, 77
572, 74

592, 48

561, 22

473, 25

486, 9

527, 55

561, 14

527c, 14

732, 14