


CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods


CIE tristimulus values X , Y , Z
 in the range $Y=0,0$ to $88,6$




DE231-1 A_1

DE230-7R

CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, 2 calculation methods




DE231-3A_1

CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




DE231-4A_1

CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods




CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

A_1B_1 tristimulus value Y , and chromatic values A_1 , B_1 , C_{AB1}
 in the range $Y=0,0$ to $88,6$



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods



DE231-7A_1

CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, 2 calculation methods

