




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D65 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-D50 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



DE241-1A\_1

DE241-2A\_1

DE241-3A\_1

DE241-4A\_1


DE241-5A\_1

DE241-6A\_1


DE241-7A\_1

DE241-8A\_1


CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-P40 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



DE241-1A\_1

DE241-2A\_1

DE241-3A\_1

DE241-4A\_1


DE241-5A\_1

DE241-6A\_1


DE241-7A\_1

DE241-8A\_1


CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



DE241-1A\_1

DE241-2A\_1

DE241-3A\_1

DE241-4A\_1


DE241-5A\_1

DE241-6A\_1


DE241-7A\_1

DE241-8A\_1


CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-E00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



DE241-1A\_1

DE241-2A\_1

DE241-3A\_1

DE241-4A\_1


DE241-5A\_1

DE241-6A\_1


DE241-7A\_1

DE241-8A\_1


CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-C00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-P00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



DE241-1A\_1

DE241-2A\_1

DE241-3A\_1

DE241-4A\_1


DE241-5A\_1

DE241-6A\_1


DE241-7A\_1

DE241-8A\_1


CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)




CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



CIE-Q00 data of Ostwald colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and sRGB data (—)



DE241-1A\_1

DE241-2A\_1

DE241-3A\_1

DE241-4A\_1

DE241-5A\_1

DE241-6A\_1

DE241-7A\_1

DE241-8A\_1