



CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88.6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




**CIE-A00 data of Ostwald colours of maximum chromatic value  $C_{AB}$ ,  $Y_w=88.6$ ,  $Y_m=520\text{--}770$ ,  $Bm=380\text{--}520$ , and 1-minus data (—)**


tristimulus value  $Y$ , and chromatic values  $A_1, B_1, C_{AB1}$   
in the range  $Y=0,0$  to 88,6




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )



CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )




CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )



**CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )


$Y$

**AB** tristimulus value  $Y$ , and chromatic values  $A_1, B_1, C_{AB1}$   
 in the range  $Y=0,0$  to  $88,6$



**CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=88.6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )

$a^*b^*$  CIELAB lightness  $L^*$ , and chroma  $a^*, b^*, C^*_{ab}$   
180 — in the range  $Y=0,0$  to  $88,6$



**CIE-A00 data of *Ostwald* colours of maximum chromatic value  $C_{AB}$**   
 $Y_w=88,6$ ,  $Y_m=520\_770$ ,  $Bm=380\_520$ , and 1-minus data ( - - )

*ab* tristimulus value  $Y$ , and chromaticities  $a_1$ ,  $b_1$ ,  $c_{abi}$   
 in the range  $Y=0,0$  to  $88,6$

