


Ostwald colours O_c , $Y_W=100$
 max (m) chromatic value, E00
 chromaticity (x, y)

Name and spectral range

R_m 561_770	Y_m 520_770
G_m 475_573	C_m 380_561
B_m 380_520	M_m 573_475



CIE 1931

x

$$X_w=100,00, Y_w=100,00, Z_w=100,00$$

$$x_w=0,3333 \quad y_w=0,3333$$

$$A_0=(a_0-[a_{0,n}+a_{0,Y}+a_{0,A}]) \quad Y$$

$$B_0=(b_0-[b_{0,n}+b_{0,Y}+b_{0,A}]) \quad Y$$

$$a_0 = a_{20} [x/y]$$

$$b_0 = b_{20} [z/y]$$

$$a_{20} = 1, \quad b_{20} = -0,4$$

$$n = E00$$

$$a_{0,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{0,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{0,A}=0,000, \quad b_{0,A}=0,000$$

Ostwald colours O_C , $Y_W=100$

max (m) chromatic value, E00

chromatic value (A_0, B_0)



$X_w=100,00$, $Y_w=100,00$, $Z_w=100,00$

$x_w=0,3333$ $y_w=0,3333$

$A_1=(a_1-[a_{1,n}+a_{1,Y}+a_{1,A}]) Y$

$B_1=(b_1-[b_{1,n}+b_{1,Y}+b_{1,A}]) Y$

$a_1 = a_{20} [(x-0,171)/y]$

$b_1 = b_{20} [z/y]$

$a_{20} = 1$, $b_{20} = -0,4$

$m_{T1}=1,000$, $b_{T1}=0,171$

$n = E00$

$a_{1,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{1,Y}=b_{2Y}(Y/Y_{18}-1)$


$a_{2Y}=0,000$, $b_{2Y}=0,000$

$a_{1,A}=0,000$, $b_{1,A}=0,000$

Ostwald colours O_C , $Y_W=100$

max (m) chromatic value, E00

chromatic value (A_1 , B_1)



$$X_w=100,00, Y_w=100,00, Z_w=100,00$$

$$x_w=0,3333 \quad y_w=0,3333$$

$$A_2=(a_2-[a_{2,n}+a_{2,Y}+a_{2,A}]) \quad Y$$

$$B_2=(b_2-[b_{2,n}+b_{2,Y}+b_{2,A}]) \quad Y$$

$$a_2 = a_{20} [(x-0,171)/y]$$

$$b_2=b_{20} [(m_{P1}x+b_{P1})/y]$$

$$a_{20} = 1, \quad b_{20} = -0,44$$

$$m_{P1}=-0,169, \quad b_{P1}=0,389$$

$$n = E00$$

$$a_{2,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{2,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{2,A}=0,000, \quad b_{2,A}=0,000$$

Ostwald colours O_C , $Y_W=100$

max (m) chromatic value, E00

chromatic value (A_2, B_2)



$$X_w=100,00, Y_w=100,00, Z_w=100,00$$

$$x_w=0,3333 \quad y_w=0,3333$$

$$A_3=(a_3-[a_{3,n}+a_{3,Y}+a_{3,A}]) \quad Y$$

$$B_3=(b_3-[b_{3,n}+b_{3,Y}+b_{3,A}]) \quad Y$$

$$a_3 = a_{20} [(x-0,171)/y]$$

$$b_3=b_{20} [(m_{D1}x+b_{D1})/y]$$

$$a_{20} = 1, \quad b_{20} = -0,4$$

$$m_{D1}=-0,974, \quad b_{D1}=0,658$$

$$n = E00$$

$$a_{3,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{3,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{3,A}=0,000, \quad b_{3,A}=0,000$$

Ostwald colours O_C , $Y_W=100$

max (m) chromatic value, E00

chromatic value (A_3, B_3)



$$X_w=100,00, Y_w=100,00, Z_w=100,00$$

$$x_w=0,3333 \quad y_w=0,3333$$

$$A_4=(a_4-[a_{4,n}+a_{4,Y}+a_{4,A}]) \quad Y$$

$$B_4=(b_4-[b_{4,n}+b_{4,Y}+b_{4,A}]) \quad Y$$

$$a_4 = a_{20} [(x-0,171)/y]$$

$$b_4=b_{20} [(m_{P1}x+b_{P1})/y]$$

$$a_{20} = 1, \quad b_{20} = -0,4$$

$$m_{P1}=-0,169, \quad b_{P1}=0,389$$

$$n = E00$$

$$a_{4,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{4,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{4,A}=0,000, \quad b_{4,A}=0,000$$

Ostwald colours O_C , $Y_W=100$

max (m) chromatic value, E00

chromatic value (A_4, B_4)



$$X_w=100,00, Y_w=100,00, Z_w=100,00$$

$$x_w=0,3333 \quad y_w=0,3333$$

$$A_5=(a_5-[a_{5,n}+a_{5,Y}+a_{5,A}]) \quad Y$$

$$B_5=(b_5-[b_{5,n}+b_{5,Y}+b_{5,A}]) \quad Y$$

$$a_5=a_{2x}[(+8,61x-7,19y-0,26)/y]$$

$$b_5=b_{2x}[(+1,99x+3,86y-2,46)/y]$$

$$a_{2x}=0,10, \quad b_{2x}=0,10$$

$$\lambda_{B,G,Y,R}=475,503,574,494 \text{ nm}$$

$$n = E00$$

$$a_{5,Y}=a_{2Y}(Y/Y_{18}-1)$$

$$b_{5,Y}=b_{2Y}(Y/Y_{18}-1)$$


$$a_{2Y}=0,000, \quad b_{2Y}=0,000$$

$$a_{5,A}=0,000, \quad b_{5,A}=0,000$$

Ostwald colours O_C , $Y_W=100$

max (m) chromatic value, E00

chromatic value (A_5, B_5)



$X_w=100,00, Y_w=100,00, Z_w=100,00$

$x_w=0,3333 y_w=0,3333$

$A_6=(a_6-[a_{6,n}+a_{6,Y}+a_{6,A}]) Y$

$B_6=(b_6-[b_{6,n}+b_{6,Y}+b_{6,A}]) Y$

$a_6 = a_{20} [x/y]$

$b_6=b_{20} [(m_{D1}x+b_{D1})/y]$

$a_{20} = 1, b_{20} = -0,4$

$m_{D1}=-0,974, b_{D1}=0,658$

$n = E00$

$a_{6,Y}=a_{2Y}(Y/Y_{18}-1)$

$b_{6,Y}=b_{2Y}(Y/Y_{18}-1)$

$a_{2Y}=0,000, b_{2Y}=0,000$

$a_{6,A}=0,000, b_{6,A}=0,000$

Ostwald colours $O_C, Y_W=100$

max (m) chromatic value, E00

chromatic value (A_6, B_6)

