


CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)


Y , $100 - Y$, C_{AB1} , $100 - C_{AB1}$ in the range $Y=0,0$ to $88,6$



DE541-1 A_1


DE540-7R-R

CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)




DE541-2A_1

CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520,770$, $B_m=380,520$, and 1-minus data (- -)



DE541-3A_1


CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)




DE541-4A_1

CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)


Y , $100 - Y$, C_{AB1} , $100 - C_{AB1}$ in the range $Y=0,0$ to $88,6$



CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



CIE-D50 data of Ostwald colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)



DE541-7A 1

CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $B_m=380_520$, and 1-minus data (- -)

