

<http://color.li.tu-berlin.de/DED2/DED2L0NP.PDF> / .PS

Order information of production company (e.g. Web-site) for ISO-test chart (e.g. code=rha4ra-I0(2/4))

Technical informations: (e.g. Web-site)
For archive files according to ISO/IEC 15775:1999, see <http://color.li.tu-berlin.de/A/IE.HTM>

Layout-file version IE-2CS34

ISO identification: 20210415-I0(2/4)
For similar files for the display output: <http://standards.iso.org/iso/9241/306/ed-2/index.html>

ISO-reference material: code=rha4ra-I0(2/4)

part 1

• xB41 = 8,5 mm, yB41 = 34,5 mm, xdB41 = 7,0 mm

• xB42 = 8,5 mm, yB42 = 26,0 mm, xdB42 = 7,0 mm

• xB43 = 8,5 mm, yB43 = 17,5 mm, xdB43 = 7,0 mm

• xB44 = 8,5 mm, yB44 = 8,5 mm, xdB44 = 7,0 mm

xB4 = 161 mm, yB4 = 153 mm, xdB4 = 112 mm, ydB4 = 40 mm

DED21-1N, Picture B4 or D4

*Warning: Exact position, size and distance of samples in picture B1
depend on manufacturer of ISO-test chart (intention: similar compared to picture B3!)*

• xB11 = 6,85 mm, yB11 = 19,85 mm, xdB11 = 7,7 mm

part 2

• xB12 = 6,85 mm, yB12 = 7,85 mm, xdB12 = 7,7 mm

part 3

xB1 = 28 mm, yB1 = 109 mm, xdB1 = 130 mm, ydB1 = 86 mm

DED20-3N, Picture B1 or D1

xB5 = 161 mm, yB5 = 109 mm, xdB5 = 112 mm, ydB5 = 40 mm

DED21-3N, Picture B5 or D5

xB2 = 28 mm, yB2 = 65 mm, xdB2 = 130 mm, ydB2 = 40 mm

DED20-5N, Picture B2 or D2

xB6 = 161 mm, yB6 = 65 mm, xdB6 = 112 mm, ydB6 = 40 mm

DED21-5N, Picture B6 or D6

Recommendation: Measure the larger adjacent samples!

• xB31 = 6,85 mm, yB31 = 25,35 mm, xdB31 = 7,7 mm

• xB32 = 6,85 mm, yB32 = 13,35 mm, xdB32 = 7,7 mm

xB3 = 28 mm, yB3 = 21 mm, xdB3 = 130 mm, ydB3 = 40 mm

DED20-7N, Picture B3 or D3

xB7 = 161 mm, yB7 = 21 mm, xdB7 = 112 mm, ydB7 = 40 mm

DED21-7N, Picture B7 or D7

Layout of test chart no. 2/4 for color copiers, proposal for ISO 15775/ed-2, see

<http://standards.iso.org/iso/15775/ed-2/index.html> or <http://color.li.tu-berlin.de/DED0/15775.html>