

Optimalfarben (o) RYGBM von maximalem (m) C _{AB} ; P60, Y _{me} =520_770, CIEXYZ													
Code, K=1:25	X	Y	Z	x	y	z	h _{xy}	i _d	λ _d	i _c	λ _c		
R _o 570_770	55.29	34.58	0.41	0.6123	0.383	0.0046	237.4	38	592	16	484		
Y _{me} 520_770	71.41	74.53	1.39	0.4846	0.5058	0.0094	224.7	34	571	14	471		
G _{me} 470_570	18.76	54.15	22.37	0.1969	0.5683	0.2347	210.3	22	512	-1	512c		
C _m 380_570	32.4	55.75	94.07	0.1778	0.3059	0.5162	214.3	16	484	38	592		
B _{me} 380_520	16.29	15.81	93.09	0.1301	0.1263	0.7435	226.1	14	471	34	571		
M _m 570_470	68.93	36.18	72.09	0.3889	0.2041	0.4068	246.2	-1	512c	22	512		
B _o 380_470	13.99	1.95	72.05	0.1589	0.0222	0.8187	229.7	9	445	32	564		
C _o 470_520	2.64	14.21	21.39	0.0692	0.3715	0.5592	222.2	17	488	55	677		
G _o 520_570	16.46	40.28	1.35	0.2833	0.6933	0.0232	216.5	28	542	-1	542c		
W 380_770	87.36	90.0	94.11	0.3218	0.3315	0.3466	225.8	29	549	-1	549c		

EG800-1A P60

Optimalfarben (o) RYGBM von maximalem (m) C _{AB} ; P60, Y _{me} =520_770, YAB_77													
Code, K=1:25	Y	A	B	c _{AB}	a	b	h _{AB}	i _d	λ* _d	i _c	λ* _c		
R _o 570_770	34.58	21.71	14.3	26.0	1.5985	-0.0048	33.3	38	592	16	484		
Y _{me} 520_770	74.53	-0.93	30.61	30.63	0.9581	-0.0074	91.7	34	571	14	473		
G _{me} 470_570	54.15	-33.8	13.7	36.47	0.3464	-0.1652	157.9	22	514	-1	514c		
C _m 380_570	55.75	-21.71	-14.3	26.0	0.5812	-0.6749	213.3	16	484	38	592		
B _{me} 380_520	15.81	0.94	-30.62	30.63	1.0302	-2.3547	271.7	14	471	34	570		
M _m 570_470	36.18	33.8	-13.7	36.47	1.9048	-0.7969	337.9	-1	507c	21	507		
B _o 380_470	1.95	12.08	-28.0	30.49	7.144	-14.7165	293.3	8	444	32	562		
C _o 470_520	14.21	-11.14	-2.61	11.45	0.1862	-0.602	193.1	17	488	-1	488c		
G _o 520_570	40.28	-22.64	16.31	27.9	0.4086	-0.0134	144.2	28	542	-1	542c		
W 380_770	90.0	0.0	0.0	0.01	0.9706	-0.4182	19.5	38	593	16	484		

EG800-3A P60

Optimalfarben (o) RYGBM von maximalem (m) C _{AB} ; P60, Y _{me} =520_770, CIELAB_76													
Code, K=1:25	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d	λ* _d	i _c	λ* _c		
R _o 570_770	65.43	63.48	106.29	123.81	0.2544	-0.0194	59.1	39	596	15	476		
Y _{me} 520_770	89.17	-1.95	133.8	133.81	0.2145	-0.0225	90.8	34	571	14	472		
G _{me} 470_570	78.55	-118.43	43.39	126.13	0.1528	-0.0632	159.8	22	514	-1	514c		
C _m 380_570	79.47	-64.65	-28.45	70.63	0.1816	-0.101	203.7	16	482	-1	482c		
B _{me} 380_520	46.74	5.42	-84.22	84.4	0.2197	-0.1533	273.6	14	471	33	569		
M _m 570_470	66.67	89.76	-34.15	96.04	0.2697	-0.1068	339.1	-1	515c	23	515		
B _o 380_470	15.32	127.21	-122.65	176.71	0.4191	-0.2824	316.0	9	448	27	537		
C _o 470_520	44.55	-110.3	-13.46	111.12	0.1242	-0.0973	186.9	17	487	-1	487c		
G _o 520_570	69.68	-92.49	100.66	136.7	0.1614	-0.0273	132.5	28	540	10	454		
W 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	140.8	26	532	5	429		

EG800-5A P60

Optimalfarben (o) RYGBM von maximalem (m) C _{AB} ; P60, Y _{me} =520_770, LABHNU1_79													
Code, K=1:25	L*	A*	B*	C* _{ab}	a'	b'	h _{ab}	i _d	λ* _d	i _c	λ* _c		
R _o 570_770	65.43	68.17	68.26	96.48	0.1732	-0.0469	45.0	38	592	15	479		
Y _{me} 520_770	89.17	-1.75	86.97	86.99	0.1305	-0.0475	91.1	34	571	14	472		
G _{me} 470_570	78.55	-78.71	36.63	86.82	0.0897	-0.0694	155.0	21	508	9	448		
C _m 380_570	79.47	-49.58	-25.8	55.89	0.1054	-0.1023	207.4	16	483	42	613		
B _{me} 380_520	46.74	4.98	-79.06	79.22	0.1353	-0.1518	273.6	14	471	34	570		
M _m 570_470	66.67	102.98	-31.16	107.59	0.1936	-0.1077	343.1	7	437	20	502		
B _o 380_470	15.32	257.44	-118.03	283.21	0.5429	-0.2775	335.3	9	448	21	508		
C _o 470_520	44.55	-63.33	-12.16	64.48	0.079	-0.0989	190.8	17	488	-1	488c		
G _o 520_570	69.68	-64.21	68.73	94.06	0.0939	-0.0487	133.0	28	541	12	462		
W 380_770	96.0	0.0	0.0	0.0	0.1313	-0.0888	56.4	25	525	11	457		

EG800-7A P60

EG800-7N P60