























GE860-7A: Measurement: GE86_HRS16_96_D65_00%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted





TUB-test chart GE86; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow ol^*$
output: no change compared to input





See original or copy: <http://web.me.com/klaus.richter/GE86/GE86L0NP.PS /.PDF>
Technical information: <http://www.ps.bam.de> V 2.1, io=1,1, Cx=1; cfi=0.90; nt=0.01; nx=1.3







GE860-7A: Measurement: GE86_HRS16_96_D65_25%_00_LU.DAT, 243 colours, 090115, Separation olv^* , adapted







TUB-test chart GE86; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations















input: $rgb \rightarrow olv^*$
output: no change compared to input



















TUB registration: 20091101-GE86/GE86L0NP.PS /.PDF
application for evaluation and measurement of printer or monitor systems
TUB material: code=rh4ta



GE860-7A: Measurement: GE86_HRS16_96_D65_25%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted






GE860-7A: Measurement: GE86_HRS16_96_D65_50%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE86; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations


input: $rgb \rightarrow ol^*$
output: no change compared to input

Figure 1 consists of two CIE L*a*b* colour space diagrams. The top diagram is for the 50C colorant, showing a red line from the origin to a point labeled '50C' on the positive a* axis. The bottom diagram is for the 59C colorant, showing a red line from the origin to a point labeled '59C' on the positive a* axis. Both diagrams include axes for chroma (C*), a* (positive and negative), and b* (positive and negative). The 50C diagram also shows a point labeled '50C' on the positive a* axis. The 59C diagram also shows a point labeled '59C' on the positive a* axis.


TUB registration: 20091101-GE86/GE86L0NP.PS /.PDF TUB material: code=rha4ta
application for evaluation and measurement of printer or monitor systems




GE860-1A, 6: cf1=0.90: nt=0.01: px=1.3




GE860-3A, 6; cf1=0.90; nt=0.01; nx=1.3




GE860-5A, 6; cf1=0.90; nt=0.01; nx=1.3




GE860-7A: Measurement: GE86_HRS16_96_D65_50%_O1_LU.DAT, 243 colours, 090115, Separation olv*, adapted




GE860-2A, 6: cf1=0.90: nt=0.01: px=1.3




GE860-4A, 6; cf1=0.90; nt=0.01; nx=1.3




GE860-6A, 6; cf1=0.90; nt=0.01; nx=1.3




GE861-8A, 6; cf1=0.90; nt=0.01; nx=1.3




GE861-1A, 6: cf1=0.90: nt=0.01: nx=1.2




GE861-3A, 6; cf1=0.90; nt=0.01; nx=1.5




GE861-5A, 6; cf1=0.90; nt=0.01; nx=1.2




GE861-7A, 6; cf1=0.90; nt=0.01; nx=1.5




GE861-2A, 6: cf1=0.90; nt=0.01; px=1.3



GE861-4A, 6; cf1=0.90; nt=0.01; nx=1.3



















GE861-6A, 6; cf1=0.90; nt=0.01; nx=1.3



GE861-8A, 6; cf1=0.90; nt=0.01; nx=1.3

TUB-test chart GE86; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linarisations

















input: $rgb \rightarrow olv^*$
output: no change compared to input



GE860-7A: Measurement: GE86_HRS16_96_D65_75%_00_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE86; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow ol^*$
output: no change compared to input



GE860-7A: Measurement: GE86_HRS16_96_D65_75%_O1_LU.DAT, 243 colours, 090115, Separation ol^* , adapted

TUB-test chart GE86; Relative Device Colour System O
9 step series; photo printer; 4 separations + 4 linearisations

input: $rgb \rightarrow ol^*$
output: no change compared to input