

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 40/360 = 0.111$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 40/360 = 0.111 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 40/360 = 0.111$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 51 100 40

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 40/360 = 0.111 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 93 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



IE380-7A, 5 step scales for constant CIELAB hue 103/360 = 0.286 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 93 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



16 step scales for constant CIELAB hue 103/360 = 0.286 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 136/360 = 0.378$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 136/360 = 0.378 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 136/360 = 0.378$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 115 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 136/360 = 0.378 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 196/360 = 0.545$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 196/360 = 0.545 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 196/360 = 0.545$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 196/360 = 0.545 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 306/360 = 0.851$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 30 129 306

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



IE380-7A, 5 step scales for constant CIELAB hue 306/360 = 0.851 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 306/360 = 0.851$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 30 129 306

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



16 step scales for constant CIELAB hue 306/360 = 0.851 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 328/360 = 0.912$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 57 111 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 328/360 = 0.912 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 328/360 = 0.912$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 57 111 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 328/360 = 0.912 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 89 25

olv*Ma: 1.0 0.0 0.21

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	50.5	76.91	64.55	100.41	40
YMa	92.66	-20.67	90.75	93.08	103
LMa	83.62	-82.73	79.9	115.02	136
CMa	86.88	-46.14	-13.53	48.1	196
VMa	30.39	76.06	-103.59	128.52	306
MMa	57.31	94.35	-58.39	110.96	328
NMa	0.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 89 25

olv*Ma: 1.0 0.0 0.21

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	50.5	76.91	64.55	100.41	40
YMa	92.66	-20.67	90.75	93.08	103
LMa	83.62	-82.73	79.9	115.02	136
CMa	86.88	-46.14	-13.53	48.1	196
VMa	30.39	76.06	-103.59	128.52	306
MMa	57.31	94.35	-58.39	110.96	328
NMa	0.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 86 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	50.5	76.91	64.55	100.41	40
YMa	92.66	-20.67	90.75	93.08	103
LMa	83.62	-82.73	79.9	115.02	136
CMa	86.88	-46.14	-13.53	48.1	196
VMa	30.39	76.06	-103.59	128.52	306
MMa	57.31	94.35	-58.39	110.96	328
NMa	0.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



IE380-7A, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 86 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	50.5	76.91	64.55	100.41	40
YMa	92.66	-20.67	90.75	93.08	103
LMa	83.62	-82.73	79.9	115.02	136
CMa	86.88	-46.14	-13.53	48.1	196
VMa	30.39	76.06	-103.59	128.52	306
MMa	57.31	94.35	-58.39	110.96	328
NMa	0.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 62 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



% Gamut

$u^*_{rel} = 158$


% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 49 272

olv*Ma: 0.0 0.61 1.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS00a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 49 272

olv*Ma: 0.0 0.61 1.0

triangle lightness t^*



TLS00a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	50.5	76.91	64.55	100.41	40
Y _{Ma}	92.66	-20.67	90.75	93.08	103
L _{Ma}	83.62	-82.73	79.9	115.02	136
C _{Ma}	86.88	-46.14	-13.53	48.1	196
V _{Ma}	30.39	76.06	-103.59	128.52	306
M _{Ma}	57.31	94.35	-58.39	110.96	328
N _{Ma}	0.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 158$

% Regularity

$g^*_{H,rel} = 20$

$g^*_{C,rel} = 37$



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 38/360 = 0.106$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 51 96 38

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 38/360 = 0.106 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 38/360 = 0.106$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 51 96 38

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 38/360 = 0.106 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 92 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 146$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$



IE380-7A, 5 step scales for constant CIELAB hue 103/360 = 0.286 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 92 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 146$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$



16 step scales for constant CIELAB hue 103/360 = 0.286 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 136/360 = 0.378$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 113 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 136/360 = 0.378 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 136/360 = 0.378$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 113 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 136/360 = 0.378 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 196/360 = 0.545$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 196/360 = 0.545 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 196/360 = 0.545$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 48 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 196/360 = 0.545 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 306/360 = 0.849$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 32 125 306

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 146$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$



IE380-7A, 5 step scales for constant CIELAB hue 306/360 = 0.849 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 306/360 = 0.849$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 32 125 306

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 146$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$



16 step scales for constant CIELAB hue 306/360 = 0.849 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 328/360 = 0.912$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 58 110 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 328/360 = 0.912 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 328/360 = 0.912$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 58 110 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 328/360 = 0.912 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 87 25

olv*Ma: 1.0 0.0 0.19

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 52 87 25

olv*Ma: 1.0 0.0 0.19

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 84 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 84 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 61 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 61 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.6 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS06a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.6 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 146$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 38$

TLS06a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.08	75.54	59.69	96.28	38
Y _{Ma}	92.68	-20.5	89.24	91.57	103
L _{Ma}	83.72	-81.78	78.32	113.24	136
C _{Ma}	86.94	-45.71	-13.42	47.65	196
V _{Ma}	31.77	72.91	-101.29	124.81	306
M _{Ma}	57.74	93.06	-57.7	109.5	328
N _{Ma}	5.69	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 37/360 = 0.103$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 52 93 37

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 37/360 = 0.103 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 37/360 = 0.103$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 52 93 37

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 37/360 = 0.103 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 90 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 103/360 = 0.286 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 103/360 = 0.286$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 90 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 103/360 = 0.286 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 136/360 = 0.379$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 112 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 136/360 = 0.379 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 136/360 = 0.379$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 112 136

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 136/360 = 0.379 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 196/360 = 0.546$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 47 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 196/360 = 0.546 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 196/360 = 0.546$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 47 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 196/360 = 0.546 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 305/360 = 0.848$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 33 121 305

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 134$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$



IE380-7A, 5 step scales for constant CIELAB hue 305/360 = 0.848 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 305/360 = 0.848$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 33 121 305

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 134$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$



16 step scales for constant CIELAB hue 305/360 = 0.848 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 328/360 = 0.912$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 58 108 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.65	74.2	55.83	92.86	37
YMa	92.7	-20.34	87.77	90.1	103
LMa	83.81	-80.84	76.81	111.52	136
CMa	87.01	-45.27	-13.32	47.2	196
VMa	33.06	70.03	-99.08	121.34	305
MMa	58.17	91.8	-57.02	108.07	328
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 134$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$



IE380-7A, 5 step scales for constant CIELAB hue 328/360 = 0.912 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 328/360 = 0.912$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 58 108 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.65	74.2	55.83	92.86	37
YMa	92.7	-20.34	87.77	90.1	103
LMa	83.81	-80.84	76.81	111.52	136
CMa	87.01	-45.27	-13.32	47.2	196
VMa	33.06	70.03	-99.08	121.34	305
MMa	58.17	91.8	-57.02	108.07	328
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 134$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$



16 step scales for constant CIELAB hue 328/360 = 0.912 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 53 85 25

olv*Ma: 1.0 0.0 0.17

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 53 85 25

olv*Ma: 1.0 0.0 0.17

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 82 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 82 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 61 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 61 162

olv*Ma: 0.0 1.0 0.65

triangle lightness t^*



% Gamut

$u^*_{rel} = 134$


% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$

TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	51.65	74.2	55.83	92.86	37
Y _{Ma}	92.7	-20.34	87.77	90.1	103
L _{Ma}	83.81	-80.84	76.81	111.52	136
C _{Ma}	87.01	-45.27	-13.32	47.2	196
V _{Ma}	33.06	70.03	-99.08	121.34	305
M _{Ma}	58.17	91.8	-57.02	108.07	328
N _{Ma}	10.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.59 1.0

triangle lightness t^*



TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.65	74.2	55.83	92.86	37
YMa	92.7	-20.34	87.77	90.1	103
LMa	83.81	-80.84	76.81	111.52	136
CMa	87.01	-45.27	-13.32	47.2	196
VMa	33.06	70.03	-99.08	121.34	305
MMa	58.17	91.8	-57.02	108.07	328
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 134$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS11a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.59 1.0

triangle lightness t^*



TLS11a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	51.65	74.2	55.83	92.86	37
YMa	92.7	-20.34	87.77	90.1	103
LMa	83.81	-80.84	76.81	111.52	136
CMa	87.01	-45.27	-13.32	47.2	196
VMa	33.06	70.03	-99.08	121.34	305
MMa	58.17	91.8	-57.02	108.07	328
NMa	10.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 134$

% Regularity

$g^*_{H,rel} = 21$

$g^*_{C,rel} = 39$



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 35/360 = 0.097$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 53 87 35

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



IE380-7A, 5 step scales for constant CIELAB hue 35/360 = 0.097 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 35/360 = 0.097$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 53 87 35

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



16 step scales for constant CIELAB hue 35/360 = 0.097 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 103/360 = 0.287$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 87 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 103/360 = 0.287 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 103/360 = 0.287$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 87 103

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 103/360 = 0.287 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 137/360 = 0.38$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 108 137

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	52.76	71.63	49.88	87.29	35
YMa	92.74	-20.02	84.97	87.3	103
LMa	84.0	-78.98	73.94	108.2	137
CMa	87.14	-44.41	-13.11	46.32	196
VMa	35.47	64.92	-95.06	115.12	304
MMa	59.01	89.33	-55.67	105.26	328
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



IE380-7A, 5 step scales for constant CIELAB hue 137/360 = 0.38 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 137/360 = 0.38$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 108 137

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	52.76	71.63	49.88	87.29	35
YMa	92.74	-20.02	84.97	87.3	103
LMa	84.0	-78.98	73.94	108.2	137
CMa	87.14	-44.41	-13.11	46.32	196
VMa	35.47	64.92	-95.06	115.12	304
MMa	59.01	89.33	-55.67	105.26	328
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



16 step scales for constant CIELAB hue 137/360 = 0.38 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 196/360 = 0.546$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 46 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 196/360 = 0.546 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 196/360 = 0.546$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 46 196

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 196/360 = 0.546 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 304/360 = 0.845$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 35 115 304

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



IE380-7A, 5 step scales for constant CIELAB hue 304/360 = 0.845 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 304/360 = 0.845$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 35 115 304

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



16 step scales for constant CIELAB hue 304/360 = 0.845 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 328/360 = 0.911$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 59 105 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 328/360 = 0.911 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 328/360 = 0.911$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 59 105 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 328/360 = 0.911 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 54 82 25

olv*Ma: 1.0 0.0 0.14

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 54 82 25

olv*Ma: 1.0 0.0 0.14

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 79 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	52.76	71.63	49.88	87.29	35
YMa	92.74	-20.02	84.97	87.3	103
LMa	84.0	-78.98	73.94	108.2	137
CMa	87.14	-44.41	-13.11	46.32	196
VMa	35.47	64.92	-95.06	115.12	304
MMa	59.01	89.33	-55.67	105.26	328
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



IE380-7A, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 85 79 92

olv*Ma: 1.0 0.82 0.0

triangle lightness t^*



TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	52.76	71.63	49.88	87.29	35
YMa	92.74	-20.02	84.97	87.3	103
LMa	84.0	-78.98	73.94	108.2	137
CMa	87.14	-44.41	-13.11	46.32	196
VMa	35.47	64.92	-95.06	115.12	304
MMa	59.01	89.33	-55.67	105.26	328
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 118$

% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$



16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 60 162

olv*Ma: 0.0 1.0 0.64

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 60 162

olv*Ma: 0.0 1.0 0.64

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.58 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS18a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 65 48 272

olv*Ma: 0.0 0.58 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 118$


% Regularity

$g^*_{H,rel} = 22$

$g^*_{C,rel} = 40$

TLS18a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	52.76	71.63	49.88	87.29	35
Y _{Ma}	92.74	-20.02	84.97	87.3	103
L _{Ma}	84.0	-78.98	73.94	108.2	137
C _{Ma}	87.14	-44.41	-13.11	46.32	196
V _{Ma}	35.47	64.92	-95.06	115.12	304
M _{Ma}	59.01	89.33	-55.67	105.26	328
N _{Ma}	18.01	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 32/360 = 0.089$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 55 79 32

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



IE380-7A, 5 step scales for constant CIELAB hue 32/360 = 0.089 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 32/360 = 0.089$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 55 79 32

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



16 step scales for constant CIELAB hue 32/360 = 0.089 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 104/360 = 0.288$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 82 104

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 104/360 = 0.288 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 104/360 = 0.288$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 82 104

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 104/360 = 0.288 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 138/360 = 0.382$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 102 138

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



IE380-7A, 5 step scales for constant CIELAB hue 138/360 = 0.382 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 138/360 = 0.382$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 84 102 138

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



16 step scales for constant CIELAB hue 138/360 = 0.382 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 197/360 = 0.546$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 45 197

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 197/360 = 0.546 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 197/360 = 0.546$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 87 45 197

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 197/360 = 0.546 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 303/360 = 0.841$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 40 105 303

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



IE380-7A, 5 step scales for constant CIELAB hue 303/360 = 0.841 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 303/360 = 0.841$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 40 105 303

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



16 step scales for constant CIELAB hue 303/360 = 0.841 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 328/360 = 0.911$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 61 100 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 328/360 = 0.911 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 328/360 = 0.911$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 61 100 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 328/360 = 0.911 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 55 76 25

olv*Ma: 1.0 0.0 0.1

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 55 76 25

olv*Ma: 1.0 0.0 0.1

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 86 73 92

olv*Ma: 1.0 0.81 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 86 73 92

olv*Ma: 1.0 0.81 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 58 162

olv*Ma: 0.0 1.0 0.63

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 86 58 162

olv*Ma: 0.0 1.0 0.63

triangle lightness t^*



% Gamut

$u^*_{rel} = 98$


% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$

TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 66 46 272

olv*Ma: 0.0 0.56 1.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS27a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 66 46 272

olv*Ma: 0.0 0.56 1.0

triangle lightness t^*



TLS27a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	54.88	66.84	41.69	78.78	32
Y _{Ma}	92.82	-19.38	79.81	82.13	104
L _{Ma}	84.37	-75.38	68.76	102.04	138
C _{Ma}	87.4	-42.71	-12.69	44.57	197
V _{Ma}	39.7	56.66	-88.01	104.68	303
M _{Ma}	60.64	84.61	-53.07	99.88	328
N _{Ma}	26.85	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 98$

% Regularity

$g^*_{H,rel} = 24$

$g^*_{C,rel} = 43$



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 28/360 = 0.079$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 59 67 28

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 28/360 = 0.079 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 28/360 = 0.079$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 59 67 28

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 28/360 = 0.079 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 104/360 = 0.29$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 73 104

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



IE380-7A, 5 step scales for constant CIELAB hue 104/360 = 0.29 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 104/360 = 0.29$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 73 104

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



16 step scales for constant CIELAB hue 104/360 = 0.29 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 139/360 = 0.386$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 85 91 139

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	58.77	58.45	31.73	66.51	28
YMa	92.98	-18.1	70.81	73.09	104
LMa	85.11	-68.57	60.02	91.14	139
CMa	87.92	-39.41	-11.86	41.17	197
VMa	46.64	44.93	-76.55	88.77	300
MMa	63.71	75.92	-48.21	89.94	328
NMa	37.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



IE380-7A, 5 step scales for constant CIELAB hue 139/360 = 0.386 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 139/360 = 0.386$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 85 91 139

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	58.77	58.45	31.73	66.51	28
YMa	92.98	-18.1	70.81	73.09	104
LMa	85.11	-68.57	60.02	91.14	139
CMa	87.92	-39.41	-11.86	41.17	197
VMa	46.64	44.93	-76.55	88.77	300
MMa	63.71	75.92	-48.21	89.94	328
NMa	37.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



16 step scales for constant CIELAB hue 139/360 = 0.386 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 197/360 = 0.547$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 88 41 197

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 197/360 = 0.547 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 197/360 = 0.547$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 88 41 197

olv*Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 197/360 = 0.547 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 300/360 = 0.834$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 47 89 300

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 300/360 = 0.834 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 300/360 = 0.834$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 47 89 300

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 300/360 = 0.834 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 328/360 = 0.91$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 64 90 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	58.77	58.45	31.73	66.51	28
YMa	92.98	-18.1	70.81	73.09	104
LMa	85.11	-68.57	60.02	91.14	139
CMa	87.92	-39.41	-11.86	41.17	197
VMa	46.64	44.93	-76.55	88.77	300
MMa	63.71	75.92	-48.21	89.94	328
NMa	37.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



IE380-7A, 5 step scales for constant CIELAB hue 328/360 = 0.91 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 328/360 = 0.91$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 64 90 328

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	58.77	58.45	31.73	66.51	28
YMa	92.98	-18.1	70.81	73.09	104
LMa	85.11	-68.57	60.02	91.14	139
CMa	87.92	-39.41	-11.86	41.17	197
VMa	46.64	44.93	-76.55	88.77	300
MMa	63.71	75.92	-48.21	89.94	328
NMa	37.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



16 step scales for constant CIELAB hue 328/360 = 0.91 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 59 66 25

olv*Ma: 1.0 0.0 0.04

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 59 66 25

olv*Ma: 1.0 0.0 0.04

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 86 63 92

olv*Ma: 1.0 0.8 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	58.77	58.45	31.73	66.51	28
YMa	92.98	-18.1	70.81	73.09	104
LMa	85.11	-68.57	60.02	91.14	139
CMa	87.92	-39.41	-11.86	41.17	197
VMa	46.64	44.93	-76.55	88.77	300
MMa	63.71	75.92	-48.21	89.94	328
NMa	37.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 86 63 92

olv*Ma: 1.0 0.8 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	58.77	58.45	31.73	66.51	28
YMa	92.98	-18.1	70.81	73.09	104
LMa	85.11	-68.57	60.02	91.14	139
CMa	87.92	-39.41	-11.86	41.17	197
VMa	46.64	44.93	-76.55	88.77	300
MMa	63.71	75.92	-48.21	89.94	328
NMa	37.99	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 87 53 162

olv*Ma: 0.0 1.0 0.61

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 87 53 162

olv*Ma: 0.0 1.0 0.61

triangle lightness t^*



TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 72$

% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 68 43 272

olv*Ma: 0.0 0.52 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS38a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 68 43 272

olv*Ma: 0.0 0.52 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 72$


% Regularity

$g^*_{H,rel} = 26$

$g^*_{C,rel} = 45$

TLS38a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	58.77	58.45	31.73	66.51	28
Y _{Ma}	92.98	-18.1	70.81	73.09	104
L _{Ma}	85.11	-68.57	60.02	91.14	139
C _{Ma}	87.92	-39.41	-11.86	41.17	197
V _{Ma}	46.64	44.93	-76.55	88.77	300
M _{Ma}	63.71	75.92	-48.21	89.94	328
N _{Ma}	37.99	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 25/360 = 0.069$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 66 50 25

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.069 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 25/360 = 0.069$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 66 50 25

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 106/360 = 0.293$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 58 106

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	65.53	45.06	20.98	49.7	25
YMa	93.3	-15.6	56.27	58.4	106
LMa	86.55	-56.3	46.52	73.04	140
CMa	88.94	-33.18	-10.23	34.73	197
VMa	57.17	30.66	-59.39	66.85	297
MMa	69.22	60.95	-39.56	72.67	327
NMa	52.02	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 106/360 = 0.293 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 106/360 = 0.293$


lab^*tch and lab^*nch

D65: hue Y

LCH*Ma: 93 58 106

olv*Ma: 1.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	65.53	45.06	20.98	49.7	25
YMa	93.3	-15.6	56.27	58.4	106
LMa	86.55	-56.3	46.52	73.04	140
CMa	88.94	-33.18	-10.23	34.73	197
VMa	57.17	30.66	-59.39	66.85	297
MMa	69.22	60.95	-39.56	72.67	327
NMa	52.02	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 106/360 = 0.293 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 140/360 = 0.39$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 87 73 140

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 140/360 = 0.39 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 140/360 = 0.39$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 87 73 140

olv*Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 140/360 = 0.39 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 197/360 = 0.548$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 89 35 197

ol v^* Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 197/360 = 0.548 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 197/360 = 0.548$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 89 35 197

ol v^* Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 197/360 = 0.548 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 297/360 = 0.826$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 57 67 297

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE hue 297/360 = 0.826 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 297/360 = 0.826$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 57 67 297

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE hue 297/360 = 0.826 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 327/360 = 0.908$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 69 73 327

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*



TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 43$

% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$



IE380-7A, 5 step scales for constant CIELAB hue 327/360 = 0.908 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 327/360 = 0.908$


lab^*tch and lab^*nch

D65: hue M

LCH*Ma: 69 73 327

olv*Ma: 1.0 0.0 1.0

triangle lightness t^*




% Gamut

$u^*_{rel} = 43$

% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$



16 step scales for constant CIELAB hue 327/360 = 0.908 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 66 49 25

olv*Ma: 1.0 0.01 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 66 49 25

olv*Ma: 1.0 0.01 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 48 92

olv*Ma: 1.0 0.77 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 87 48 92

olv*Ma: 1.0 0.77 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 88 45 162

olv*Ma: 0.0 1.0 0.58

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 88 45 162

olv*Ma: 0.0 1.0 0.58

triangle lightness t^*



% Gamut

$u^*_{rel} = 43$


% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$

TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 72 37 272

ol v^* Ma: 0.0 0.46 1.0

triangle lightness t^*



TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 43$

% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS52a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 72 37 272

ol v^* Ma: 0.0 0.46 1.0

triangle lightness t^*



TLS52a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	65.53	45.06	20.98	49.7	25
Y _{Ma}	93.3	-15.6	56.27	58.4	106
L _{Ma}	86.55	-56.3	46.52	73.04	140
C _{Ma}	88.94	-33.18	-10.23	34.73	197
V _{Ma}	57.17	30.66	-59.39	66.85	297
M _{Ma}	69.22	60.95	-39.56	72.67	327
N _{Ma}	52.02	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 43$

% Regularity

$g^*_{H,rel} = 30$

$g^*_{C,rel} = 48$



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)

Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 22/360 = 0.061$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 76 28 22

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 22/360 = 0.061 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 22/360 = 0.061$


lab^*tch and lab^*nch

D65: hue O

LCH*Ma: 76 28 22

olv*Ma: 1.0 0.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$


TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 22/360 = 0.061 (right)

▲



▲



Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 142/360 = 0.395$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 89 45 142

ol v^* Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 142/360 = 0.395 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 142/360 = 0.395$


lab^*tch and lab^*nch

D65: hue L

LCH*Ma: 89 45 142

ol v^* Ma: 0.0 1.0 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 142/360 = 0.395 (right)

Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 198/360 = 0.55$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 91 23 198

ol v^* Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	76.43	26.27	10.57	28.32	22
YMa	93.93	-10.76	34.63	36.27	107
LMa	89.32	-35.8	27.64	45.24	142
CMa	90.93	-21.95	-7.07	23.07	198
VMa	72.1	15.76	-35.63	38.97	294
NMa	78.5	37.52	-25.23	45.22	326
NMa	69.7	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 198/360 = 0.55 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 198/360 = 0.55$


lab^*tch and lab^*nch

D65: hue C

LCH*Ma: 91 23 198

ol v^* Ma: 0.0 1.0 1.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	76.43	26.27	10.57	28.32	22
YMa	93.93	-10.76	34.63	36.27	107
LMa	89.32	-35.8	27.64	45.24	142
CMa	90.93	-21.95	-7.07	23.07	198
VMa	72.1	15.76	-35.63	38.97	294
NMa	78.5	37.52	-25.23	45.22	326
NMa	69.7	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 198/360 = 0.55 (right)

Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 294/360 = 0.816$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 72 39 294

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


%Gamut

$u^*_{rel} = 16$

%Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$



IE380-7A, 5 step scales for constant CIE Lab hue 294/360 = 0.816 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 294/360 = 0.816$


lab^*tch and lab^*nch

D65: hue V

LCH*Ma: 72 39 294

olv*Ma: 0.0 0.0 1.0

triangle lightness t^*



TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


%Gamut

$u^*_{rel} = 16$


%Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$



16 step scales for constant CIE Lab hue 294/360 = 0.816 (right)



Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 77 27 25

ol v^* Ma: 1.0 0.05 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	76.43	26.27	10.57	28.32	22
YMa	93.93	-10.76	34.63	36.27	107
LMa	89.32	-35.8	27.64	45.24	142
CMa	90.93	-21.95	-7.07	23.07	198
VMa	72.1	15.76	-35.63	38.97	294
MMa	78.5	37.52	-25.23	45.22	326
NMa	69.7	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIE LAB hue 25/360 = 0.071 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 25/360 = 0.071$


lab^*tch and lab^*nch

D65: hue R

LCH*Ma: 77 27 25

ol v^* Ma: 1.0 0.05 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	76.43	26.27	10.57	28.32	22
YMa	93.93	-10.76	34.63	36.27	107
LMa	89.32	-35.8	27.64	45.24	142
CMa	90.93	-21.95	-7.07	23.07	198
VMa	72.1	15.76	-35.63	38.97	294
MMa	78.5	37.52	-25.23	45.22	326
NMa	69.7	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIE LAB hue 25/360 = 0.071 (right)

Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 89 28 92

olv*Ma: 1.0 0.74 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 92/360 = 0.256 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 92/360 = 0.256$


lab^*tch and lab^*nch

D65: hue J

LCH*Ma: 89 28 92

olv*Ma: 1.0 0.74 0.0

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 92/360 = 0.256 (right)

Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 90 30 162

olv*Ma: 0.0 1.0 0.53

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



IE380-7A, 5 step scales for constant CIELAB hue 162/360 = 0.451 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 162/360 = 0.451$


lab^*tch and lab^*nch

D65: hue G

LCH*Ma: 90 30 162

olv*Ma: 0.0 1.0 0.53

triangle lightness t^*



% Gamut

$u^*_{rel} = 16$


% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$

TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



16 step scales for constant CIELAB hue 162/360 = 0.451 (right)

Input: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 80 24 272

ol v^* Ma: 0.0 0.4 1.0

triangle lightness t^*



TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 16$

% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$



IE380-7A, 5 step scales for constant CIELAB hue 272/360 = 0.755 (left)

Output: Colorimetric Television Luminous System TLS70a

for hue $h^* = lab^*h = 272/360 = 0.755$


lab^*tch and lab^*nch

D65: hue B

LCH*Ma: 80 24 272

ol v^* Ma: 0.0 0.4 1.0

triangle lightness t^*



TLS70a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	76.43	26.27	10.57	28.32	22
Y _{Ma}	93.93	-10.76	34.63	36.27	107
L _{Ma}	89.32	-35.8	27.64	45.24	142
C _{Ma}	90.93	-21.95	-7.07	23.07	198
V _{Ma}	72.1	15.76	-35.63	38.97	294
M _{Ma}	78.5	37.52	-25.23	45.22	326
N _{Ma}	69.7	0.0	0.0	0.0	0
W _{Ma}	95.41	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


% Gamut

$u^*_{rel} = 16$

% Regularity

$g^*_{H,rel} = 34$

$g^*_{C,rel} = 51$



16 step scales for constant CIELAB hue 272/360 = 0.755 (right)