

















































<http://130.149.60.45/~farbmetrik/IE99/IE99L0NA.TXT> / .PS; start output
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



TUB-test chart IE99; Relative colour reproduction, Colour O
 Colorimetric transformation of data $x = olv^*$ by n

input: $rgb \rightarrow olv^*$ *setrgbcolor*
 output: no change compared to input





















http://130.149.60.45/~farbmetrik/IE99/IE99L0NA.TXT /.PS; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See original or copy: <http://web.me.com/klaus.richter/IE99/IE99L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20090901-IE99/IE99L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



TUB-test chart IE99; Relative colour reproduction, Colour C
Colorimetric transformation of data $x = olv^*$ by n

















input: $rgb \rightarrow olv^*$ *setrgbcolor*
output: no change compared to input

http://130.149.60.45/~farbmetrik/IE99/IE99L0NA.TXT /.PS; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See original or copy: <http://web.me.com/klaus.richter/IE99/IE99L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20090901-IE99/IE99L0NA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta



TUB-test chart IE99; Relative colour reproduction, Colour V
Colorimetric transformation of data $x = olv^*$ by n

input: $rgb \rightarrow olv^*$ *setrgbcolor*
output: no change compared to input

