


Ein und Ausgabe: Fernseh-Licht-System TLS70a



Daten für jede Farbe:  
 $LAB^*LAB_{Ma}$  und  $LAB^*LCH_{Ma}$   
Elementar- und Geräte-Bunttontext:  
 $u^*$  und  $d^*$

| TLS70a; adaptierte CIELAB-Daten |             |         |         |              |              |       |  |
|---------------------------------|-------------|---------|---------|--------------|--------------|-------|--|
| $u^*$                           | $L^*=L_a^*$ | $a_a^*$ | $b_a^*$ | $C_{ab,a}^*$ | $h_{ab,a}^*$ | $d^*$ |  |
| r00j                            | 77.25       | 24.54   | 11.69   | 27.18        | 25           | o04y  |  |
| r25j                            | 80.45       | 17.76   | 16.1    | 23.97        | 42           | o23y  |  |
| r50j                            | 83.18       | 11.98   | 19.85   | 23.19        | 59           | o43y  |  |
| r75j                            | 85.97       | 6.08    | 23.69   | 24.45        | 76           | o62y  |  |
| j00g                            | 89.38       | -1.15   | 28.38   | 28.4         | 92           | o82y  |  |
| j25g                            | 93.65       | -12.31  | 34.2    | 36.35        | 110          | y07l  |  |
| j50g                            | 91.56       | -23.62  | 31.04   | 39.01        | 127          | y56l  |  |
| j75g                            | 89.47       | -34.52  | 24.4    | 42.27        | 145          | l04c  |  |
| g00b                            | 90.18       | -28.42  | 9.11    | 29.84        | 162          | l35c  |  |
| g25b                            | 90.78       | -23.22  | -3.93   | 23.55        | 190          | l84c  |  |
| g50b                            | 87.8        | -15.7   | -11.82  | 19.65        | 217          | c20v  |  |
| g75b                            | 84.13       | -8.35   | -17.39  | 19.29        | 244          | c48v  |  |
| b00r                            | 79.6        | 0.74    | -24.26  | 24.28        | 272          | c76v  |  |
| b25r                            | 73.24       | 19.64   | -33.78  | 39.08        | 300          | v19m  |  |
| b50r                            | 78.33       | 36.61   | -22.34  | 42.89        | 329          | m04o  |  |
| b75r                            | 77.13       | 30.08   | -1.55   | 30.12        | 357          | m55o  |  |



%Umfang  
 $u^*_{rel} = 16$   
%Regularität  
 $g^*_{H,rel} = 34$   
 $g^*_{C,rel} = 51$


| TLS70a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| Name                            | $L^*=L_a^*$ | $a_a^*$ | $b_a^*$ | $C_{ab,a}^*$ | $h_{ab,a}^*$ |
| O <sub>Ma</sub>                 | 76.43       | 26.27   | 10.57   | 28.32        | 22           |
| Y <sub>Ma</sub>                 | 93.93       | -10.77  | 34.63   | 36.27        | 107          |
| L <sub>Ma</sub>                 | 89.32       | -35.81  | 27.64   | 45.24        | 142          |
| C <sub>Ma</sub>                 | 90.93       | -21.96  | -7.08   | 23.07        | 198          |
| V <sub>Ma</sub>                 | 72.1        | 15.76   | -35.64  | 38.97        | 294          |
| M <sub>Ma</sub>                 | 78.5        | 37.52   | -25.24  | 45.22        | 326          |
| N <sub>Ma</sub>                 | 69.7        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                 | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>                | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>                | 81.26       | -2.89   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>                | 52.23       | -42.42  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>                | 30.57       | 1.41    | -46.47  | 46.49        | 272          |



Ein und Ausgabe: Fernseh-Licht-System TLS70a


Daten für jede Farbe:  
 $LAB^*LAB_{Ma}$  und  $LAB^*LCH_{Ma}$   
Elementar- und Geräte-Bunttontext:  
 $u^*$  und  $d^*$

| TLS70a; adaptierte CIELAB-Daten |             |         |         |              |              |       |  |
|---------------------------------|-------------|---------|---------|--------------|--------------|-------|--|
| $u^*$                           | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ | $d^*$ |  |
| r00j                            | 77.25       | 24.54   | 11.69   | 27.18        | 25           | o04y  |  |
| r25j                            | 80.45       | 17.76   | 16.1    | 23.97        | 42           | o23y  |  |
| r50j                            | 83.18       | 11.98   | 19.85   | 23.19        | 59           | o43y  |  |
| r75j                            | 85.97       | 6.08    | 23.69   | 24.45        | 76           | o62y  |  |
| j00g                            | 89.38       | -1.15   | 28.38   | 28.4         | 92           | o82y  |  |
| j25g                            | 93.65       | -12.31  | 34.2    | 36.35        | 110          | y07l  |  |
| j50g                            | 91.56       | -23.62  | 31.04   | 39.01        | 127          | y56l  |  |
| j75g                            | 89.47       | -34.52  | 24.4    | 42.27        | 145          | l04c  |  |
| g00b                            | 90.18       | -28.42  | 9.11    | 29.84        | 162          | l35c  |  |
| g25b                            | 90.78       | -23.22  | -3.93   | 23.55        | 190          | l84c  |  |
| g50b                            | 87.8        | -15.7   | -11.82  | 19.65        | 217          | c20v  |  |
| g75b                            | 84.13       | -8.35   | -17.39  | 19.29        | 244          | c48v  |  |
| b00r                            | 79.6        | 0.74    | -24.26  | 24.28        | 272          | c76v  |  |
| b25r                            | 73.24       | 19.64   | -33.78  | 39.08        | 300          | v19m  |  |
| b50r                            | 78.33       | 36.61   | -22.34  | 42.89        | 329          | m04o  |  |
| b75r                            | 77.13       | 30.08   | -1.55   | 30.12        | 357          | m55o  |  |



%Umfang  
 $u^*_{rel} = 16$   
%Regularität  
 $g^*_{H,rel} = 34$   
 $g^*_{C,rel} = 51$


| TLS70a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| Name                            | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                 | 76.43       | 26.27   | 10.57   | 28.32        | 22           |
| Y <sub>Ma</sub>                 | 93.93       | -10.77  | 34.63   | 36.27        | 107          |
| L <sub>Ma</sub>                 | 89.32       | -35.81  | 27.64   | 45.24        | 142          |
| C <sub>Ma</sub>                 | 90.93       | -21.96  | -7.08   | 23.07        | 198          |
| V <sub>Ma</sub>                 | 72.1        | 15.76   | -35.64  | 38.97        | 294          |
| M <sub>Ma</sub>                 | 78.5        | 37.52   | -25.24  | 45.22        | 326          |
| N <sub>Ma</sub>                 | 69.7        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                 | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>                | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>                | 81.26       | -2.89   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>                | 52.23       | -42.42  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>                | 30.57       | 1.41    | -46.47  | 46.49        | 272          |



Ein und Ausgabe: Fernseh-Licht-System TLS70a

Daten für jede Farbe:  
 $LAB^*LAB_{Ma}$  und  $LAB^*LCH_{Ma}$   
Elementar- und Geräte-Bunttontext:  
 $u^*$  und  $d^*$

| TLS70a; adaptierte CIELAB-Daten |             |         |         |              |              |       |  |
|---------------------------------|-------------|---------|---------|--------------|--------------|-------|--|
| $u^*$                           | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ | $d^*$ |  |
| r00j                            | 77.25       | 24.54   | 11.69   | 27.18        | 25           | o04y  |  |
| r25j                            | 80.45       | 17.76   | 16.1    | 23.97        | 42           | o23y  |  |
| r50j                            | 83.18       | 11.98   | 19.85   | 23.19        | 59           | o43y  |  |
| r75j                            | 85.97       | 6.08    | 23.69   | 24.45        | 76           | o62y  |  |
| j00g                            | 89.38       | -1.15   | 28.38   | 28.4         | 92           | o82y  |  |
| j25g                            | 93.65       | -12.31  | 34.2    | 36.35        | 110          | y07l  |  |
| j50g                            | 91.56       | -23.62  | 31.04   | 39.01        | 127          | y56l  |  |
| j75g                            | 89.47       | -34.52  | 24.4    | 42.27        | 145          | l04c  |  |
| g00b                            | 90.18       | -28.42  | 9.11    | 29.84        | 162          | l35c  |  |
| g25b                            | 90.78       | -23.22  | -3.93   | 23.55        | 190          | l84c  |  |
| g50b                            | 87.8        | -15.7   | -11.82  | 19.65        | 217          | c20v  |  |
| g75b                            | 84.13       | -8.35   | -17.39  | 19.29        | 244          | c48v  |  |
| b00r                            | 79.6        | 0.74    | -24.26  | 24.28        | 272          | c76v  |  |
| b25r                            | 73.24       | 19.64   | -33.78  | 39.08        | 300          | v19m  |  |
| b50r                            | 78.33       | 36.61   | -22.34  | 42.89        | 329          | m04o  |  |
| b75r                            | 77.13       | 30.08   | -1.55   | 30.12        | 357          | m55o  |  |



%Umfang  
 $u^*_{rel} = 16$   
%Regularität  
 $g^*_{H,rel} = 34$   
 $g^*_{C,rel} = 51$

| TLS70a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| Name                            | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| O <sub>Ma</sub>                 | 76.43       | 26.27   | 10.57   | 28.32        | 22           |
| Y <sub>Ma</sub>                 | 93.93       | -10.77  | 34.63   | 36.27        | 107          |
| L <sub>Ma</sub>                 | 89.32       | -35.81  | 27.64   | 45.24        | 142          |
| C <sub>Ma</sub>                 | 90.93       | -21.96  | -7.08   | 23.07        | 198          |
| V <sub>Ma</sub>                 | 72.1        | 15.76   | -35.64  | 38.97        | 294          |
| M <sub>Ma</sub>                 | 78.5        | 37.52   | -25.24  | 45.22        | 326          |
| N <sub>Ma</sub>                 | 69.7        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>Ma</sub>                 | 95.41       | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>CIE</sub>                | 39.92       | 58.74   | 27.99   | 65.07        | 25           |
| J <sub>CIE</sub>                | 81.26       | -2.89   | 71.56   | 71.62        | 92           |
| G <sub>CIE</sub>                | 52.23       | -42.42  | 13.6    | 44.55        | 162          |
| B <sub>CIE</sub>                | 30.57       | 1.41    | -46.47  | 46.49        | 272          |

