

















See original or copy: <http://web.me.com/klaus-richter/JE29/JE29LONP.PDF /.PS>
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



















JE290-7A: Measurement: JE29_sRGB display 0%_G0_LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF> /.PS
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4t4



















JE290-7A: Measurement: JE29_sRGB display 0.6%, G0, LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF> /.PS
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



















JE290-7A: Measurement: JE29_sRGB display 1.3%_G0.LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF> /.PS
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



JE290-7A: Measurement: JE29_sRGB display 2.5%_G0.LUT.DAT, 243 colours, 100101, Separation ol^* , adapted

















TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input



See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF> / .PS
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



















JE290-7A: Measurement: JE29_sRGB display 5%_G0_LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input



See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF> /.PS
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



















JE290-7A: Measurement: JE29_sRGB display 10%_G0 LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input



See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF /.PS>
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



















JE290-7A: Measurement: JE29_sRGB display 20%_G0 LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/JE29/JE29LONP.PDF /.PS>
 Technical information: <http://www.ps.bam.de> V 2.1, io=1.1, Cx=0; cfl=0.95; nt=0.18; nx=1.0

TUB registration: 20100101-JE29/JE29LONP.PDF /.PS
 application for evaluation and measurement of printer or monitor systems
 TUB material: code=rh4ta



JE29-7A: Measurement: JE29_sRGB display 40%_G0 LUT.DAT, 243 colours, 100101, Separation ol^* , adapted
 TUB-test chart JE29; Relative Device Colour System O
 9 step series; 8 sRGB display reflections 0% ... 40%

input: $rgb \rightarrow ol^*$
 output: no change compared to input