





Siehe Original/Kopie: <http://web.me.com/Klaus.richter/JG39/JG39L0NP.PDF> /.PS  
Technische Information: [http://www.ps.bam.de/V\\_2.1,io=1.1,Cx=0; cfl=1.00; nt=0.18; nx=1.0](http://www.ps.bam.de/V_2.1,io=1.1,Cx=0; cfl=1.00; nt=0.18; nx=1.0)





TUB-Registrierung: 201100101-JG39/JG39L0NP.PDF /.PS      TUB-Material: Code=rh4ta  
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen


Siehe Original/Kopie: <http://web.me.com/Klaus.richter/JG39/JG39L0NP.PDF> /.PS  
Technische Information: <http://www.ps.bam.de/V2.1,io=1.1,Cx=0;cfi=1.00;nt=0.18;nx=1.0>




TUB-Registrierung: 20100101-JG39/JG39L0NP.PDF /.PS TUB-Material: Code=rh4ta  
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen






















Table with columns labeled A through j and lab\*ch\*. Rows are numbered 01 through 27. The table contains a grid of numerical values, likely representing data points for a specific analysis or experiment.















Table with columns labeled %LAB\*a, CIE, O:52.8, 71.7, 49.9, Y:92.7, -20.1, 85.0, L:84.0, -79.0, 73.9, C:87.1, -44.4, -13.1, V:35.5, 64.9, -95.1, M:59.0, 89.3, -55.7, N:18.0, 0.0, 0.0, W:95.4, 0.0, 0.0. The table contains 96 rows of numerical data in a grid format.





%LAB*a,ICC	O:55.6	74.6	51.9	Y:97.2	-20.9	888.5	L:88.1	-82.3	377.0	C:91.4	-46.3	-13.7	V:37.6	67.6	-99.0	M:62.1	93.0	-58.0	N:19.4	0.0	0.0	W:100.0	0.0	0.0																																																																																																						
100.0 0.0	100.0 0.0	0.0 0.0	100.0 0.0	100.0 0.0	0.0 0.0	0.0 0.0	19.4 0.0	0.0 0.0	19.4 0.0	0.0 0.0	19.4 0.0	0.0 0.0	19.4 0.0	0.0 0.0	0.0 0.0	19.4 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0																																																																																																						
95.8 0.9	94.5 10.9	-8.5	94.6 9.9	3.2	29.5 0.0	0.0 0.0	24.8 0.0	0.0 0.0	24.8 0.0	0.0 0.0	24.8 0.0	0.0 0.0	24.8 0.0	0.0 0.0	0.0 0.0	100.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0																																																																																																						
91.6 1.7	89.1 21.8	-16.9	89.3 19.7	6.5	39.6 0.0	0.0 0.0	30.2 0.0	0.0 0.0	30.2 0.0	0.0 0.0	30.2 0.0	0.0 0.0	30.2 0.0	0.0 0.0	0.0 0.0	55.6 74.6	51.9	91.4 -46.3	-13.7	97.2 -20.9	88.5	37.6 67.6	-99.0	88.1 -82.3	77.0	62.1 93.0	-58.0																																																																																																			
87.3 2.6	83.6 32.6	-25.4	83.9 29.6	9.7	49.6 0.0	0.0 0.0	35.5 0.0	0.0 0.0	35.5 0.0	0.0 0.0	35.5 0.0	0.0 0.0	35.5 0.0	0.0 0.0	0.0 0.0	60.4 6.1	-46.8	78.1 0.7	9.8	69.8 0.0	0.0 0.0	65.6 0.9	-6.7	61.3 1.7	-13.4	47.0 2.6	-20.1	42.8 3.5	-26.8	91.1 3.3	49.0	82.8 2.6	39.2	74.5 2.0	29.4	66.2 1.3	19.6	57.9 0.7	9.8	49.6 0.0	0.0 0.0	45.4 0.9	-6.7	41.2 1.7	-13.4	37.0 2.6	-20.1	89.4 3.9	58.9	81.1 3.3	49.0	72.8 2.6	39.2	64.5 2.0	29.4	56.2 1.3	19.6	47.9 0.7	9.8	39.6 0.0	0.0 0.0	35.3 0.9	-6.7	31.1 1.7	-13.4	87.6 4.6	68.7	79.3 3.9	58.9	71.0 3.3	49.0	62.7 2.6	39.2	54.4 2.0	29.4	46.1 1.3	19.6	37.8 0.7	9.8	29.5 0.0	0.0 0.0	25.3 0.9	-6.7	85.8 5.3	78.5	77.5 4.6	68.7	69.2 3.9	58.9	60.9 3.3	49.0	52.6 2.6	39.2	44.3 2.0	29.4	36.0 1.3	19.6	27.7 0.7	9.8	19.4 0.0	0.0 0.0	%XYZa, ICC	O:42.8	23.5	5.0	Y:77.5	93.0	16.6	L:37.4	72.3	14.7	C:55.0	79.3	107.0	V:20.2	9.9	95.5	M:60.3	30.5	97.3	N:2.7	2.8	3.1	W:95.1	100.0	108.9











Table with 25 columns and 100 rows of numerical data. The values range from 0 to 255, representing a grayscale grid. The data is organized in a regular grid pattern with some variations in values across the rows and columns.



Table with 9 columns and 255 rows of numerical data, representing a color calibration grid. Each row contains 9 values, and the columns represent different color channels or grid positions.

