

See original or copy: <http://web.me.com/klau.s.richter/KE56/KE56L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE56/KE56L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}	n _{rgb}	rgb -> rgb	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Mae}
0	0.0	0.0	51.73 83.56 357.0	81	0.125	0.0	30.0 50.49 87.88 25.5	162	0.25	0.0	30.0 50.49 87.89 25.5	243	0.375	0.0	30.0 50.49 87.89 25.5
1	0.0	0.125	58.86 59.98 271.8	82	0.125	0.0	30.0 56.14 111.42 328.6	163	0.25	0.0	30.0 51.73 83.56 357.0	244	0.375	0.0	30.0 51.73 83.56 357.0
2	0.0	0.25	58.87 59.96 271.8	83	0.125	0.0	30.0 37.1 111.66 300.2	164	0.25	0.0	30.0 56.15 111.44 328.6	245	0.375	0.0	30.0 56.15 111.44 328.6
3	0.0	0.375	58.87 59.95 271.8	84	0.125	0.0	30.0 47.13 84.48 289.9	165	0.25	0.0	30.0 36.97 126.32 310.5	246	0.375	0.0	30.0 36.97 126.32 310.5
4	0.0	0.5	58.88 59.95 271.7	85	0.125	0.0	30.0 50.87 75.96 284.9	166	0.25	0.0	30.0 37.11 111.63 300.2	247	0.375	0.0	30.0 37.11 111.63 300.2
5	0.0	0.625	58.88 59.95 271.7	86	0.125	0.0	30.0 53.0 71.13 282.1	167	0.25	0.0	30.0 43.52 93.77 293.9	248	0.375	0.0	30.0 43.52 93.77 293.9
6	0.0	0.75	58.88 59.94 271.7	87	0.125	0.0	30.0 54.05 69.13 280.2	168	0.25	0.0	30.0 47.13 84.46 289.9	249	0.375	0.0	30.0 47.13 84.46 289.9
7	0.0	0.875	58.88 59.94 271.7	88	0.125	0.0	30.0 54.78 67.74 278.9	169	0.25	0.0	30.0 49.29 79.55 287.0	250	0.375	0.0	30.0 49.29 79.55 287.0
8	0.0	1.0	58.88 59.94 271.7	89	0.125	0.0	30.0 55.32 66.71 278.0	170	0.25	0.0	30.0 50.87 75.95 284.9	251	0.375	0.0	30.0 50.87 75.95 284.9
9	0.0	0.125	85.38 66.25 162.2	90	0.125	0.125	0.0 90.0 83.42 100.03 92.3	171	0.25	0.125	0.0 60.0 59.6 96.48 58.9	252	0.375	0.125	0.0 49.1 50.65 109.39 46.7
10	0.0	0.125	79.69 45.34 217.0	91	0.125	0.125	0.0 51.73 83.56 357.0	172	0.25	0.125	0.125 30.0 50.49 87.88 25.5	253	0.375	0.125	0.125 30.0 50.49 87.88 25.5
11	0.0	0.125	70.01 46.71 244.4	92	0.125	0.125	0.0 58.86 59.98 271.8	173	0.25	0.125	0.25 330.0 56.14 111.42 328.6	254	0.375	0.125	0.25 0.0 51.73 83.56 357.0
12	0.0	0.125	66.53 49.04 254.3	93	0.125	0.125	0.375 58.87 59.96 271.8	174	0.25	0.125	0.375 300.0 37.1 111.66 300.2	255	0.375	0.125	0.375 330.0 56.15 111.44 328.6
13	0.0	0.125	64.49 51.87 259.1	94	0.125	0.125	0.5 58.87 59.95 271.7	175	0.25	0.125	0.5 289.1 47.13 84.48 289.9	256	0.375	0.125	0.5 310.9 36.97 126.32 310.5
14	0.0	0.125	63.31 53.5 261.8	95	0.125	0.125	0.625 58.88 59.95 271.7	176	0.25	0.125	0.625 283.9 50.87 75.96 284.9	257	0.375	0.125	0.625 300.0 37.11 111.62 300.2
15	0.0	0.125	62.61 54.56 263.6	96	0.125	0.125	0.75 58.88 59.95 271.7	177	0.25	0.125	0.75 280.9 53.0 71.13 282.1	258	0.375	0.125	0.75 293.4 43.52 93.77 293.9
16	0.0	0.125	62.01 55.3 264.8	97	0.125	0.125	0.875 58.88 59.94 271.7	178	0.25	0.125	0.875 279.0 54.05 69.13 280.2	259	0.375	0.125	0.875 289.1 47.13 84.46 289.9
17	0.0	0.125	61.61 55.84 265.7	98	0.125	0.125	1.0 58.88 59.94 271.7	179	0.25	0.125	1.0 277.6 54.78 67.74 278.9	260	0.375	0.125	1.0 286.1 49.29 79.55 287.0
18	0.0	0.25	85.38 66.24 162.2	99	0.125	0.25	0.0 120.0 85.02 122.25 127.2	180	0.25	0.25	0.0 90.0 83.45 100.06 92.3	261	0.375	0.25	0.0 70.9 67.58 92.33 71.0
19	0.0	0.25	86.72 51.09 189.6	100	0.125	0.25	0.125 85.38 66.25 162.2	181	0.25	0.25	0.125 90.0 83.42 100.03 92.3	262	0.375	0.25	0.125 60.0 59.6 96.48 58.9
20	0.0	0.25	79.69 45.34 217.0	101	0.125	0.25	0.25 210.0 79.69 45.34 217.0	182	0.25	0.25	0.25 0.0 51.73 83.56 357.0	263	0.375	0.25	0.25 30.0 50.49 87.88 25.5
21	0.0	0.25	73.46 44.48 234.4	102	0.125	0.25	0.375 240.0 70.01 46.71 244.4	183	0.25	0.25	0.375 270.0 58.86 59.98 271.8	264	0.375	0.25	0.375 330.0 56.14 111.42 328.6
22	0.0	0.25	70.01 46.71 244.4	103	0.125	0.25	0.5 250.9 66.53 49.04 254.3	184	0.25	0.25	0.5 270.0 58.87 59.96 271.8	265	0.375	0.25	0.5 300.0 37.1 111.66 300.2
23	0.0	0.25	67.92 48.06 250.4	104	0.125	0.25	0.625 256.1 64.49 51.87 259.1	185	0.25	0.25	0.625 270.0 58.87 59.95 271.8	266	0.375	0.25	0.625 289.1 47.13 84.48 289.9
24	0.0	0.25	66.54 49.03 254.3	105	0.125	0.25	0.75 259.1 63.31 53.5 261.8	186	0.25	0.25	0.75 270.0 58.88 59.95 271.7	267	0.375	0.25	0.75 283.9 50.87 75.96 284.9
25	0.0	0.25	65.36 50.67 257.0	106	0.125	0.25	0.875 261.1 62.54 54.56 263.6	187	0.25	0.25	0.875 270.0 58.88 59.95 271.7	268	0.375	0.25	0.875 280.9 53.0 71.13 282.1
26	0.0	0.25	64.49 51.87 259.1	107	0.125	0.25	1.0 262.4 62.01 55.3 264.8	188	0.25	0.25	1.0 270.0 58.88 59.94 271.7	269	0.375	0.25	1.0 279.0 54.05 69.13 280.2
27	0.0	0.375	85.38 66.24 162.2	108	0.125	0.375	0.0 130.9 84.32 102.2 139.9	189	0.25	0.375	0.0 109.1 88.53 112.38 114.6	270	0.375	0.375	0.0 90.0 83.46 100.07 92.3
28	0.0	0.375	86.24 55.24 179.7	109	0.125	0.375	0.125 150.0 85.38 66.24 162.2	190	0.25	0.375	0.125 120.0 85.02 122.25 127.2	271	0.375	0.375	0.125 90.0 83.45 100.06 92.3
29	0.0	0.375	86.0 47.76 199.5	110	0.125	0.375	0.25 180.0 86.72 51.09 189.6	191	0.25	0.375	0.25 150.0 85.38 66.25 162.2	272	0.375	0.375	0.25 90.0 83.42 100.03 92.3
30	0.0	0.375	86.0 47.76 199.5	111	0.125	0.375	0.375 210.0 79.7 45.34 217.0	192	0.25	0.375	0.375 210.0 79.69 45.34 217.0	273	0.375	0.375	0.375 0.0 51.73 83.56 357.0
31	0.0	0.375	86.0 47.76 199.5	112	0.125	0.375	0.5 229.1 73.46 44.48 234.4	193	0.25	0.375	0.5 240.0 58.86 59.98 271.8	274	0.375	0.375	0.5 270.0 58.86 59.98 271.8
32	0.0	0.375	86.0 47.76 199.5	113	0.125	0.375	0.625 240.0 70.01 46.71 244.4	194	0.25	0.375	0.625 250.9 66.53 49.04 254.3	275	0.375	0.375	0.625 270.0 58.87 59.96 271.8
33	0.0	0.375	86.0 47.76 199.5	114	0.125	0.375	0.75 246.6 67.92 48.06 250.4	195	0.25	0.375	0.75 256.1 64.49 51.87 259.1	276	0.375	0.375	0.75 270.0 58.87 59.95 271.8
34	0.0	0.375	86.0 47.76 199.5	115	0.125	0.375	0.875 250.9 66.54 49.03 254.3	196	0.25	0.375	0.875 259.1 63.31 53.5 261.8	277	0.375	0.375	0.875 270.0 58.88 59.95 271.7
35	0.0	0.375	86.0 47.76 199.5	116	0.125	0.375	1.0 253.9 65.36 50.67 257.0	197	0.25	0.375	1.0 261.1 62.54 54.56 263.6	278	0.375	0.375	1.0 270.0 58.88 59.95 271.7
36	0.0	0.5	85.38 66.23 162.2	117	0.125	0.5	0.0 136.1 84.59 89.06 146.0	198	0.25	0.5	0.0 120.0 85.02 122.27 127.3	279	0.375	0.5	0.0 103.9 90.36 110.81 108.5
37	0.0	0.5	86.01 47.76 199.5	118	0.125	0.5	0.125 150.0 85.38 66.24 162.2	199	0.25	0.5	0.125 130.9 84.32 102.2 139.9	280	0.375	0.5	0.125 109.1 88.53 112.38 114.6
38	0.0	0.5	86.01 47.76 199.5	119	0.125	0.5	0.25 169.1 86.24 55.24 179.7	200	0.25	0.5	0.25 150.0 85.38 66.24 162.2	281	0.375	0.5	0.25 120.0 85.02 122.25 127.2
39	0.0	0.5	86.01 47.76 199.5	120	0.125	0.5	0.375 190.9 86.0 47.76 199.5	201	0.25	0.5	0.375 180.0 86.72 51.09 189.6	282	0.375	0.5	0.375 150.0 85.38 66.25 162.2
40	0.0	0.5	86.01 47.76 199.5	121	0.125	0.5	0.5 210.0 79.7 45.34 217.0	202	0.25	0.5	0.5 210.0 79.7 45.34 217.0	283	0.375	0.5	0.5 210.0 79.69 45.34 217.0
41	0.0	0.5	86.01 47.76 199.5	122	0.125	0.5	0.625 223.9 73.46 44.48 234.4	203	0.25	0.5	0.625 229.1 73.46 44.48 234.4	284	0.375	0.5	0.625 240.0 70.01 46.71 244.4
42	0.0	0.5	86.01 47.76 199.5	123	0.125	0.5	0.75 233.4 72.1 45.36 238.4	204	0.25	0.5	0.75 240.0 70.01 46.71 244.4	285	0.375	0.5	0.75 250.9 66.53 49.04 254.3
43	0.0	0.5	86.01 47.76 199.5	124	0.125	0.5	0.875 240.0 70.01 46.71 244.4	205	0.25	0.5	0.875 246.6 67.92 48.06 250.4	286	0.375		

See original or copy: <http://web.me.com/klau.s.richter/KE56/KE56L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20100801-KE56/KE56L0NA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rha4ta

n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e				n _{rgb} rgb -> rgb%				h _{rgb}				[L*, C* _{ab} , h _{ab}]Ma,e							
324	0.5	0.0	0.0	30.0	50.49	87.89	25.5	405	0.625	0.0	0.0	30.0	50.49	87.89	25.5	486	0.75	0.0	0.0	30.0	50.49	87.89	25.5	567	0.875	0.0	0.0	30.0	50.49	87.89	25.5	648	1.0	0.0	0.0	30.0	50.49	87.89	25.5
325	0.5	0.0	0.125	16.1	50.92	82.59	12.3	406	0.625	0.0	0.125	19.1	50.82	83.22	15.1	487	0.75	0.0	0.125	21.0	50.75	83.63	17.0	568	0.875	0.0	0.125	22.4	50.7	83.92	18.3	649	1.0	0.0	0.125	24.0	50.6	84.23	19.6
326	0.5	0.0	0.25	0.0	51.73	83.56	357.0	407	0.625	0.0	0.25	6.6	51.35	82.38	3.3	488	0.75	0.0	0.25	10.9	51.14	82.0	7.4	569	0.875	0.0	0.25	13.9	51.0	82.12	10.2	650	1.0	0.0	0.25	16.1	50.8	82.43	12.3
327	0.5	0.0	0.375	343.9	53.19	92.86	341.8	408	0.625	0.0	0.375	353.4	52.2	86.12	350.8	489	0.75	0.0	0.375	0.0	51.73	83.56	357.0	570	0.875	0.0	0.375	4.7	51.45	82.54	1.5	651	1.0	0.0	0.375	6.6	50.9	82.74	3.3
328	0.5	0.0	0.5	330.0	56.15	111.45	328.6	409	0.625	0.0	0.5	340.9	53.62	95.81	338.9	490	0.75	0.0	0.5	349.1	52.61	88.87	346.7	571	0.875	0.0	0.5	355.3	52.07	85.39	352.6	652	1.0	0.0	0.5	361.5	50.8	83.05	6.6
329	0.5	0.0	0.625	319.1	47.25	117.97	318.3	410	0.625	0.0	0.625	330.0	56.15	111.45	328.6	491	0.75	0.0	0.625	339.0	53.9	97.72	337.1	572	0.875	0.0	0.625	346.1	52.89	90.81	343.9	653	1.0	0.0	0.625	352.3	50.9	83.36	8.5
330	0.5	0.0	0.75	310.9	36.96	126.33	310.5	411	0.625	0.0	0.75	321.1	49.4	116.86	320.1	492	0.75	0.0	0.75	330.0	56.15	111.45	328.6	573	0.875	0.0	0.75	337.6	54.22	99.69	335.8	654	1.0	0.0	0.75	343.9	50.9	83.67	10.4
331	0.5	0.0	0.875	304.7	31.55	128.41	304.6	412	0.625	0.0	0.875	313.9	41.06	122.56	313.4	493	0.75	0.0	0.875	322.4	50.88	116.12	321.4	574	0.875	0.0	0.875	330.0	56.15	111.45	328.6	655	1.0	0.0	0.875	336.3	50.9	83.67	10.4
332	0.5	0.0	1.0	300.0	37.12	111.61	300.2	413	0.625	0.0	1.0	308.2	32.8	131.03	308.0	494	0.75	0.0	1.0	316.1	43.77	120.44	315.4	575	0.875	0.0	1.0	323.4	51.89	115.81	322.4	656	1.0	0.0	1.0	330.0	50.9	83.67	10.4
333	0.5	0.125	0.0	43.9	50.16	102.85	40.9	414	0.625	0.125	0.0	40.9	50.21	97.94	37.6	495	0.75	0.125	0.0	38.9	50.24	95.02	35.4	576	0.875	0.125	0.0	37.6	50.28	93.94	33.9	657	1.0	0.125	0.0	46.1	50.3	84.60	16.2
334	0.5	0.125	0.125	30.0	50.49	87.89	25.5	415	0.625	0.125	0.125	30.0	50.49	87.89	25.5	496	0.75	0.125	0.125	30.0	50.49	87.89	25.5	577	0.875	0.125	0.125	30.0	50.49	87.89	25.5	658	1.0	0.125	0.125	30.0	50.49	87.89	25.5
335	0.5	0.125	0.25	10.9	51.14	82.0	7.4	416	0.625	0.125	0.25	16.1	50.92	82.59	12.3	497	0.75	0.125	0.25	19.1	50.82	83.22	15.1	578	0.875	0.125	0.25	21.0	50.75	83.63	17.0	659	1.0	0.125	0.25	24.0	50.6	84.23	19.6
336	0.5	0.125	0.375	349.1	52.61	88.87	346.7	417	0.625	0.125	0.375	0.0	51.73	83.56	357.0	498	0.75	0.125	0.375	6.6	51.35	82.38	3.3	579	0.875	0.125	0.375	10.9	51.14	82.0	7.4	660	1.0	0.125	0.375	13.9	51.0	82.12	10.2
337	0.5	0.125	0.5	330.0	56.15	111.44	328.6	418	0.625	0.125	0.5	343.9	53.19	92.86	341.8	499	0.75	0.125	0.5	353.4	52.2	86.12	350.8	580	0.875	0.125	0.5	0.0	51.73	83.56	357.0	661	1.0	0.125	0.5	0.0	50.9	83.67	10.4
338	0.5	0.125	0.625	316.1	43.78	120.43	315.4	419	0.625	0.125	0.625	330.0	56.15	111.45	328.6	500	0.75	0.125	0.625	340.9	53.62	95.81	338.9	581	0.875	0.125	0.625	349.1	52.61	88.87	346.7	662	1.0	0.125	0.625	352.3	50.9	83.67	10.4
339	0.5	0.125	0.75	306.6	29.92	134.6	306.4	420	0.625	0.125	0.75	319.1	47.25	117.97	318.3	501	0.75	0.125	0.75	330.0	56.15	111.45	328.6	582	0.875	0.125	0.75	339.0	53.9	97.72	337.1	663	1.0	0.125	0.75	346.1	52.61	88.87	346.7
340	0.5	0.125	0.875	300.0	37.12	111.61	300.2	421	0.625	0.125	0.875	310.9	36.96	126.33	310.5	502	0.75	0.125	0.875	321.1	49.4	116.86	320.1	583	0.875	0.125	0.875	330.0	56.15	111.45	328.6	664	1.0	0.125	0.875	336.3	50.9	83.67	10.4
341	0.5	0.125	1.0	295.3	41.84	98.27	295.7	422	0.625	0.125	1.0	304.7	31.55	128.41	304.6	503	0.75	0.125	1.0	313.9	41.06	122.56	313.4	584	0.875	0.125	1.0	322.4	50.88	116.12	321.4	665	1.0	0.125	1.0	328.6	50.9	83.67	10.4
342	0.5	0.25	0.0	60.0	59.61	96.47	58.9	423	0.625	0.25	0.0	53.4	54.34	103.35	51.5	504	0.75	0.25	0.0	49.1	50.65	109.38	46.8	585	0.875	0.25	0.0	46.1	50.13	96.47	43.4	666	1.0	0.25	0.0	54.2	50.3	84.91	18.1
343	0.5	0.25	0.125	49.1	50.65	109.39	46.8	424	0.625	0.25	0.125	43.9	50.16	102.85	40.9	505	0.75	0.25	0.125	40.9	50.21	97.94	37.6	586	0.875	0.25	0.125	38.9	50.24	95.02	35.4	667	1.0	0.25	0.125	46.1	50.3	84.91	18.1
344	0.5	0.25	0.25	30.0	50.49	87.89	25.5	425	0.625	0.25	0.25	30.0	50.49	87.89	25.5	506	0.75	0.25	0.25	30.0	50.49	87.89	25.5	587	0.875	0.25	0.25	30.0	50.49	87.89	25.5	668	1.0	0.25	0.25	30.0	50.49	87.89	25.5
345	0.5	0.25	0.375	0.0	51.73	83.56	357.0	426	0.625	0.25	0.375	0.0	51.73	83.56	357.0	507	0.75	0.25	0.375	6.6	51.35	82.38	3.3	588	0.875	0.25	0.375	10.9	51.14	82.0	7.4	669	1.0	0.25	0.375	13.9	51.0	82.12	10.2
346	0.5	0.25	0.5	330.0	56.15	111.44	328.6	427	0.625	0.25	0.5	349.1	53.62	95.81	338.9	508	0.75	0.25	0.5	0.0	51.73	83.56	357.0	589	0.875	0.25	0.5	6.6	51.35	82.38	3.3	670	1.0	0.25	0.5	6.6	50.9	83.67	10.4
347	0.5	0.25	0.625	310.9	36.97	126.32	310.5	428	0.625	0.25	0.625	330.0	56.15	111.44	328.6	509	0.75	0.25	0.625	343.9	53.19	92.86	341.8	590	0.875	0.25	0.625	353.4	52.2	86.12	350.8	671	1.0	0.25	0.625	358.5	50.9	83.67	10.4
348	0.5	0.25	0.75	300.0	37.11	111.63	300.2	429	0.625	0.25	0.75	316.1	43.78	120.43	315.4	510	0.75	0.25	0.75	330.0	56.15	111.45	328.6	591	0.875	0.25	0.75	340.9	53.62	95.81	338.9	672	1.0	0.25	0.75	346.1	52.61	88.87	346.7
349	0.5	0.25	0.875	293.4	43.52	93.77	293.9	430	0.625	0.25	0.875	306.6	29.92	134.6	306.4	511	0.75	0.25	0.875	319.1	47.25	117.97	318.3	592	0.875	0.25	0.875	330.0	56.15	111.45	328.6	673	1.0	0.25	0.875	336.3	50.9	83.67	10.4
350	0.5	0.25	1.0	289.1	47.13	84.46	289.9	431	0.625	0.25	1.0	300.0	37.12	111.61	300.2	512	0.75	0.25	1.0	310.9	36.96	126.33	310.5	593	0.875	0.25	1.0	321.1	49.4	116.86	320.1	674	1.0	0.25	1.0	328.6	50.9	83.67	10.4
351	0.5	0.375	0.0	76.1	71.46	9																																	

See original or copy: <http://web.me.com/klaus.richter/KE56/KE56L0NA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb	→	rgb*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}
648	1.0	0.0	0.0	30.0	50.49 87.9 25.5
649	1.0	0.0	0.125	23.4	50.66 84.13 19.2
650	1.0	0.0	0.25	16.1	50.92 82.59 12.3
651	1.0	0.0	0.375	8.2	51.27 82.23 4.8
652	1.0	0.0	0.5	0.0	51.73 83.56 357.0
653	1.0	0.0	0.625	351.8	52.35 87.13 349.3
654	1.0	0.0	0.75	343.9	53.19 92.86 341.8
655	1.0	0.0	0.875	336.6	54.47 101.24 334.9
656	1.0	0.0	1.0	330.0	56.15 111.45 328.6
657	1.0	0.125	0.0	36.6	50.3 93.14 32.8
658	1.0	0.125	0.125	30.0	50.49 87.89 25.5
659	1.0	0.125	0.25	22.4	50.7 83.92 18.3
660	1.0	0.125	0.375	13.9	51.0 82.12 10.2
661	1.0	0.125	0.5	4.7	51.45 82.54 1.5
662	1.0	0.125	0.625	355.3	52.07 85.39 352.6
663	1.0	0.125	0.75	346.1	52.89 90.81 343.9
664	1.0	0.125	0.875	337.6	54.22 99.69 335.8
665	1.0	0.125	1.0	330.0	56.15 111.45 328.6
666	1.0	0.25	0.0	43.9	50.16 102.86 41.0
667	1.0	0.25	0.125	37.6	50.28 93.94 33.9
668	1.0	0.25	0.25	30.0	50.49 87.89 25.5
669	1.0	0.25	0.375	21.0	50.75 83.63 17.0
670	1.0	0.25	0.5	10.9	51.14 82.0 7.4
671	1.0	0.25	0.625	0.0	51.73 83.56 357.0
672	1.0	0.25	0.75	349.1	52.61 88.87 346.7
673	1.0	0.25	0.875	339.0	53.9 97.72 337.1
674	1.0	0.25	1.0	330.0	56.15 111.45 328.6
675	1.0	0.375	0.0	51.8	52.96 105.62 49.7
676	1.0	0.375	0.125	46.1	50.13 106.47 43.4
677	1.0	0.375	0.25	38.9	50.24 95.02 35.4
678	1.0	0.375	0.375	30.0	50.49 87.89 25.5
679	1.0	0.375	0.5	19.1	50.82 83.22 15.1
680	1.0	0.375	0.625	6.6	51.35 82.38 3.3
681	1.0	0.375	0.75	353.4	52.2 86.12 350.8
682	1.0	0.375	0.875	340.9	53.62 95.81 338.9
683	1.0	0.375	1.0	330.0	56.15 111.45 328.6
684	1.0	0.5	0.0	60.0	59.61 96.46 58.9
685	1.0	0.5	0.125	55.3	55.9 100.99 53.6
686	1.0	0.5	0.25	49.1	50.65 109.38 46.8
687	1.0	0.5	0.375	40.9	50.21 97.94 37.6
688	1.0	0.5	0.5	30.0	50.49 87.89 25.5
689	1.0	0.5	0.625	16.1	50.92 82.59 12.3
690	1.0	0.5	0.75	0.0	51.73 83.56 357.0
691	1.0	0.5	0.875	343.9	53.19 92.86 341.8
692	1.0	0.5	1.0	330.0	56.15 111.45 328.6
693	1.0	0.625	0.0	68.2	65.64 92.73 68.0
694	1.0	0.625	0.125	64.7	63.08 94.01 64.1
695	1.0	0.625	0.25	60.0	59.61 96.46 58.9
696	1.0	0.625	0.375	53.4	54.34 103.35 51.5
697	1.0	0.625	0.5	43.9	50.16 102.85 40.9
698	1.0	0.625	0.625	30.0	50.49 87.89 25.5
699	1.0	0.625	0.75	10.9	51.14 82.0 7.4
700	1.0	0.625	0.875	349.1	52.61 88.87 346.7
701	1.0	0.625	1.0	330.0	56.15 111.44 328.6
702	1.0	0.75	0.0	76.1	71.47 92.42 76.8
703	1.0	0.75	0.125	73.9	69.77 91.9 74.4
704	1.0	0.75	0.25	70.9	67.59 92.33 71.0
705	1.0	0.75	0.375	66.6	64.45 93.08 66.2
706	1.0	0.75	0.5	60.0	59.61 96.47 58.9
707	1.0	0.75	0.625	49.1	50.65 109.39 46.7
708	1.0	0.75	0.75	30.0	50.49 87.89 25.5
709	1.0	0.75	0.875	0.0	51.73 83.56 357.0
710	1.0	0.75	1.0	330.0	56.15 111.44 328.6
711	1.0	0.875	0.0	83.4	77.34 95.05 85.0
712	1.0	0.875	0.125	82.4	76.44 94.36 83.9
713	1.0	0.875	0.25	81.0	75.26 93.6 82.3
714	1.0	0.875	0.375	79.1	73.77 93.13 80.2
715	1.0	0.875	0.5	76.1	71.46 92.42 76.8
716	1.0	0.875	0.625	70.9	67.58 92.33 71.0
717	1.0	0.875	0.75	60.0	59.6 96.48 58.9
718	1.0	0.875	0.875	30.0	50.49 87.88 25.5
719	1.0	0.875	1.0	330.0	56.14 111.42 328.6
720	1.0	1.0	0.0	90.0	83.47 100.08 92.3
721	1.0	1.0	0.125	90.0	83.47 100.08 92.3
722	1.0	1.0	0.25	90.0	83.46 100.08 92.3
723	1.0	1.0	0.375	90.0	83.46 100.08 92.3
724	1.0	1.0	0.5	90.0	83.46 100.07 92.3
725	1.0	1.0	0.625	90.0	83.46 100.07 92.3
726	1.0	1.0	0.75	90.0	83.45 100.06 92.3
727	1.0	1.0	0.875	90.0	83.42 100.03 92.3
728	1.0	1.0	1.0	0.0	51.73 83.56 357.0

KE560-7N, 1, table rgb→rgb*3 - LCH*a of 729 colours of 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection Lr=0%; Page 3/3

TUB-test chart KE56; 729 *rgb** colours of 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: *rgb*→*rgb** *setrgbcolor*
output: *no change compared to input*