

















See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 1/16; display type: LCD_low_gloss_100828_2

% LE45_LECD display_2.0%_Fadin

















TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=0\%$; Fadin
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

















TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 3/16; display type: LCD_low_gloss_100828_2

















TUB-test chart LE45; 1080 colours of LECD display_2; $L_r=0,6\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change



See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 4/16; display type: LCD_low_gloss_100828_2

% LE45_LECD display_2_0,6%_Fadit

















TUB-test chart LE45; 1080 colours of LECD display_2; $L_r=0,6\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 5/16; display type: LCD_low_gloss_100828_2

% LE45_LECD display_2 1.2%_Fadin

















TUB-test chart LE45; 1080 colours of LECD display_2; $L_r=1,2\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$, Page 6/16; display type: LCD_low_gloss_100828_2

% LE45_LECD display_2 1.2%_Fadit

















TUB-test chart LE45; 1080 colours of LECD display_2; $L_r = 1,2\%$; Fadit
 CIELAB diagrams $L^* - C^*$ for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 7/16; display type: LCD_low_gloss_100828_2

% LE45_LECD display_2 2.5%_Fadin

















TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=2.5\%$; Fadin
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 8/16; display type: LCD_low_gloss_100828_2

















% LE45_LECD display_2 2.5%_Fadit

TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=2.5\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: `rgb setrgbcolor`
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 9/16; display type: LCD_low_gloss_100828_2

TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=5\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

















input: *rgb setrgbcolor*
 output: no change

% LE45_LECD display_2.5%_Fadin

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 10/16; display type: LCED_low_gloss_100828_2

TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=5\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

















input: *rgb setrgbcolor*
 output: no change

% LE45_LECD display_2.5%_Fadit

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_m=89$, Page 11/16; display type: LCED_low_gloss_100828_2

% LE45_LECD display_2 10%_Fadin

















TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=10\%$; Fadin
 CIELAB diagrams L^* - C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn=Ym=89, Page 12/16; display type: LCED_low_gloss_100828_2

% LE45_LECD display_2 10%_Fadit

















TUB-test chart LE45; 1080 colours of LECD display_2; Lr=10%; Fadit
 CIELAB diagrams L*–C* for input and intended output (Fadin, Fadit)

input: rgb setrgbcolor
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 13/16; display type: LCED_low_gloss_100828_2

% LE45_LECD display_2 20%_Fadin

















TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=20\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_m=89$, Page 14/16; display type: LCED_low_gloss_100828_2

















TUB-test chart LE45; 1080 colours of LECD display_2; $L_r=20\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

% LE45_LECD display_2 20%_Fadit

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 15/16; display type: LCED_low_gloss_100828_2

% LE45_LECD display_2.40%_Fadin

















TUB-test chart LE45; 1080 colours of LECD display_2; $Lr=40\%$; Fadin
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change

See original or copy: <http://web.me.com/klaus.richter/LE45/LE45LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE45/LE45LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE450-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n=Y_w=89$, Page 16/16; display type: LCED_low_gloss_100828_2

% LE45_LECD display_2.40%_Fadit

TUB-test chart LE45; 1080 colours of LECD display_2; $L_r=40\%$; Fadit
 CIELAB diagrams L^*-C^* for input and intended output (Fadin, Fadit)

input: *rgb setrgbcolor*
 output: no change