

















http://130.149.60.45/~farbmatrik/ME03/ME03L0NA.TXT /PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmatrik/ME03/ME03.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

ME03s0s

TUB registration: 20130201-ME03/ME03L0NA.TXT /PS
application for measurement of display output

TUB material: code=rha4ta



















TUB-test chart ME03; Computer graphics and colorimetry
Image series ME03, 3D=0, de=0

input: rgb/cmyk -> rgb/cmyk
output: no change



















http://130.149.60.45/~farbmetrik/ME03/ME03L0NA.TXT / PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: http://130.149.60.45/~farbmetrik/ME03/ME03.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrikTUB-test chart ME03; Computer graphics and colorimetry
Image series ME03, 3D=0, de=0, sRGBinput: rgb/cmyk -> rgb_d
output: transfer to rgb_d

















http://130.149.60.45/~farbmetrik/ME03/ME03L0NA.TXT /.PS; start output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: http://130.149.60.45/~farbmetrik/ME03/ME03.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrikTUB-test chart ME03; Computer graphics and colorimetry
Image series ME03, 3D=0, de=1input: rgb/cmyk -> rgb/cmyk
output: no change

http://130.149.60.45/~farbmetrik/ME03/ME03L0NA.TXT / PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/ME03/ME03.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart ME03; Computer graphics and colorimetry
Image series ME03, 3D=0, de=1, sRGB

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

