








1-103030-L0 ME471-2N, BTe08




1-103030-L0 ME471-4N, BTe10




1-103030-L0 ME471-1N, BTe07



1-103030-L0 ME471-2N, BTe09



1-103030-L0 ME471-5N, BTe11



1-103030-L0 ME471-6N, BTe12




1-103030-L0 ME471-7N, BTe13





1-103030-L0 ME471-1N, BTe14


http://130.149.60.45/~farbmetrik/ME47/ME47L0FP.PDF /PS; start output
F: 3D-linearization ME47/ME47LE30FP.DAT in file (F), page 1/2




see similar files: <http://130.149.60.45/~farbmetrik/ME47/ME47L0FP.PDF> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103030-L0 ME470-1N, BTe01




1-103030-L0 ME470-3N, BTe03




1-103030-L0 ME470-5N, BTe05




1-103030-L0 ME470-7N, BTe06.2




1-103030-L0 ME470-2N, BTe02



1-103030-L0 ME470-4N, BTe04



1-103030-L0 ME470-6N, BTe06.1



1-103030-L0 ME470-8N, BTe06.3

TUB-test chart ME47; Computer graphics and colorimetry
Image series ME47, 3D=1, de=0

input: rgb/cmyk -> rgb/cmyk
output: no change

