






see similar files: http://farbe.li.tu-berlin.de/ME98/ME98L0FP.PDF /.PS; start output
 http://130.149.60.45/~farbmetrik or http://farbe.li.tu-berlin.de

TUB registration: 20190801-ME98/ME98L0FP.PDF /.PS
 application for measurement of display output

colour attributes of low and high colour metric	mode of colour mixture	
	dichromatic	trichromatic
low colour- or valence metric	(for $Y_- \geq B_-$)	(for $R_- \geq G_- \geq B_-$)
white value W	B_-	B_-
black value N	$100 - Y_-$	$100 - R_-$
chromatic value C	$Y_- - B_-$	$R_- - B_-$
high colour- or sensation metric	(for $Y^*_- \geq B^*_-$)	(for $R^*_- \geq G^*_- \geq B^*_-$)
whiteness W^*	B^*_-	B^*_-
blackness N^*	$100 - Y^*_-$	$100 - R^*_-$
chromaticness C^*	$Y^*_- - B^*_-$	$R^*_- - B^*_-$



Colour rendering index R_i of two metameric BAM-scanner test colours		
scanner	TC colour rendering index	colour difference
broad band	1	82
	2	84
laser	1	63
	2	69
ideal	1	100
	2	100

D65, colour adjustment with white paper

colour valence metric (color data: linear relation to CIE 1931 data)		
linear color terms	name and relationship to CIE tristimulus or chromaticity values	notes
tristimulus values	X, Y, Z	
chromatic value	linear chromatic value diagram (A, B)	$n=D65$
red-green	$A = [X/Y - X_n/Y_n] Y = [a - a_n] Y$ $= [x/y - x_n/y_n] Y$	(background)
yellow-blue	$B = -0,4 [Z/Y - Z_n/Y_n] Y = [b - b_n] Y$ $= -0,4 [z/y - z_n/y_n] Y$	
radial	$C_{AB} = [A^2 + B^2]^{1/2}$	
chromaticity	linear chromaticity diagram (a, b)	compare to linear cone excitation
red-green	$a = X/Y = x/y$	
yellow-blue	$b = -0,4 [Z/Y] = -0,4 [z/y]$	
radial	$c_{ab} = [(a - a_n)^2 + (b - b_n)^2]^{1/2}$	$L/(L+M) = P/(P+D)$ $S/(L+M) = T/(P+D)$






higher colour metric (color data: nonlinear relation to CIE 1931 data)		
nonlinear color terms	name and relationship with tristimulus or chromaticity values	notes
lightness	$L^* = 116 (Y/100)^{1/3} - 16$ ($Y > 0,8$) approximation: $L^* = 100 (Y/100)^{1/2,4}$ ($Y > 0$)	CIELAB 1976
chroma	nonlinear transfer of chromatic values A, B	
red-green	$a^* = 500 [(X/X_n)^{1/3} - (Y/Y_n)^{1/3}]$ $= 500 (a' - a'_n) Y^{1/3}$	CIELAB 1976
yellow-blue	$b^* = 200 [(Y/Y_n)^{1/3} - (Z/Z_n)^{1/3}]$ $= 500 (b' - b'_n) Y^{1/3}$	CIELAB 1976
radial	$C^*_{ab} = [a^{*2} + b^{*2}]^{1/2}$	$n=D65$ (background)
chromaticity	nonlinear transfer of chromaticities x/y, z/y	compare to log cone excitation
red-green	$a' = (1/X_n)^{1/3} (x/y)^{1/3}$ $= 0,2191 (x/y)^{1/3}$ for D65	$\log[L/(L+M)]$
yellow-blue	$b' = -0,4 (1/Z_n)^{1/3} (z/y)^{1/3}$ $= -0,08376 (z/y)^{1/3}$ for D65	$= \log[P/(P+D)]$
radial	$c'_{ab} = [(a' - a'_n)^2 + (b' - b'_n)^2]^{1/2}$	$\log[S/(L+M)]$ $= \log[T/(P+D)]$

see similar files: http://farbe.li.tu-berlin.de/ME98/ME98.HTM
 http://130.149.60.45/~farbmeterik or http://farbe.li.tu-berlin.de

TUB registration: 20190801-ME98/ME98L0FP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

colour attributes of low and high colour metric	mode of colour mixture	
	dichromatic	trichromatic
low colour- or valence metric	(for $Y_{de} \geq B_{de}$)	(for $R_{de} \geq G_{de} \geq B_{de}$)
white value W	B_{de}	B_{de}
black value N	$100 - Y_{de}$	$100 - R_{de}$
chromatic value C	$Y_{de} - B_{de}$	$R_{de} - B_{de}$
high colour- or sensation metric	(for $Y^*_{de} \geq B^*_{de}$)	(for $R^*_{de} \geq G^*_{de} \geq B^*_{de}$)
whiteness W^*	B^*_{de}	B^*_{de}
blackness N^*	$100 - Y^*_{de}$	$100 - R^*_{de}$
chromaticness C^*	$Y^*_{de} - B^*_{de}$	$R^*_{de} - B^*_{de}$



Colour rendering index R_i of two metameric BAM-scanner test colours		
scanner	TC colour rendering index	colour difference
broad band	1	82
	2	84
laser	1	63
	2	69
ideal	1	100
	2	100

D65, colour adjustment with white paper

colour valence metric (color data: linear relation to CIE 1931 data)		
linear color terms	name and relationship to CIE tristimulus or chromaticity values	notes
tristimulus values	X, Y, Z	
chromatic value	linear chromatic value diagram (A, B)	$n=D65$
red-green	$A = [X/Y - X_n/Y_n] Y = [a - a_n] Y$ $= [x/y - x_n/y_n] Y$	(background)
yellow-blue	$B = -0,4 [Z/Y - Z_n/Y_n] Y = [b - b_n] Y$ $= -0,4 [z/y - z_n/y_n] Y$	
radial	$C_{AB} = [A^2 + B^2]^{1/2}$	
chromaticity	linear chromaticity diagram (a, b)	compare to linear cone excitation
red-green	$a = X/Y = x/y$	
yellow-blue	$b = -0,4 [Z/Y] = -0,4 [z/y]$	
radial	$c_{ab} = [(a - a_n)^2 + (b - b_n)^2]^{1/2}$	$L/(L+M) = P/(P+D)$ $S/(L+M) = T/(P+D)$

higher colour metric (color data: nonlinear relation to CIE 1931 data)		
nonlinear color terms	name and relationship with tristimulus or chromaticity values	notes
lightness	$L^* = 116 (Y / 100)^{1/3} - 16 \quad (Y > 0,8)$ approximation: $L^* = 100 (Y / 100)^{1/2,4} \quad (Y > 0)$	CIELAB 1976
chroma	nonlinear transfer of chromatic values A, B	
red-green	$a^* = 500 [(X / X_n)^{1/3} - (Y / Y_n)^{1/3}]$ $= 500 (a' - a'_n) Y^{1/3}$	CIELAB 1976
yellow-blue	$b^* = 200 [(Y / Y_n)^{1/3} - (Z / Z_n)^{1/3}]$ $= 500 (b' - b'_n) Y^{1/3}$	CIELAB 1976
radial	$C^*_{ab} = [a^{*2} + b^{*2}]^{1/2}$	$n=D65$ (background)
chromaticity	nonlinear transfer of chromaticities x/y, z/y	compare to log cone excitation
red-green	$a' = (1 / X_n)^{1/3} (x / y)^{1/3}$ $= 0,2191 (x / y)^{1/3}$ for D65	$\log [L / (L + M)]$
yellow-blue	$b' = -0,4 (1 / Z_n)^{1/3} (z / y)^{1/3}$ $= -0,08376 (z / y)^{1/3}$ for D65	$= \log [P / (P + D)]$
radial	$c'_{ab} = [(a' - a'_n)^2 + (b' - b'_n)^2]^{1/2}$	$\log [S / (L + M)]$ $= \log [T / (P + D)]$