

sensibilité relative

$$\log V = [c \cdot \lambda - c \cdot 555]^2$$


... experimental-CIE

$P, D, T, V, V'$

$$\log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log T = [c \cdot \lambda - c \cdot 450]^2$$



3-003130-L0

3-003130-F0

ME100-54/MF490-50

sensibilité relative

$$\log V = [c \cdot \lambda - c \cdot 555]^2$$


... experimental-CIE

$P, D, T, V, V'$

$$\log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log T = [c \cdot \lambda - c \cdot 450]^2$$



3-013130-L0

3-013130-F0

ME100-54/MF490-51

sensibilité relative

$$\log V = [c \cdot \lambda - c \cdot 555]^2$$

... experimental-CIE


$P, D, T, V, V'$

$$\log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log T = [c \cdot \lambda - c \cdot 450]^2$$

$T$   $V'$   $D$   $V$   $P$  modèle  $\lambda$



3-103130-L0

3-103130-F0

ME100-54/MF490-52

sensibilité relative

$$\log V = [c \cdot \lambda - c \cdot 555]^2$$


... experimental-CIE

$P, D, T, V, V'$

$$\log P = [c \cdot \lambda - c \cdot 570]^2$$

$$\log D = [c \cdot \lambda - c \cdot 540]^2$$

$$\log T = [c \cdot \lambda - c \cdot 450]^2$$



3-113130-L0

3-113130-F0

ME100-54/MF490-53