


MG270-1, BR_02



MG270-2, BR_04

PSL1-Programcode: Raster 24x24 mit Linien horizontal, vertikal und Text

```
!PS-Adobe-3.0 B8321-8n.eps 20.10.94
%%BoundingBox: 72 90 225 206
/FS {findfont exch scalefont setfont} bind def
/MM {72 25.4 div mul} def %Umrechnung Inch -> mm
%%EndProlog

%Nullpunkt Bounding-Box
72 90 translate

%Einheiten in 0,01 mm und Rahmen 5,4cm x 4,0cm
0.01 MM 0.01 MM scale
15 setlinewidth
0 0 moveto 5400 0 rlineto 0 4000 rlineto
-5400 0 rlineto closepath stroke

%Text und Zeichnen
10 setlinewidth 350 /Times-Roman FS
100 3250 moveto (Raster) show
100 2900 moveto (24x24) show
1000 /Times-Roman FS 100 500 moveto (0) show

% neuer Rastermittelpunkt und Nullpunkt
3300 2000 translate

% 36 Linien horizontal und vertikal
-1800 100 1800 {dup -1850 moveto 1850 lineto} for stroke
-1800 100 1800 {dup -1850 exch moveto 1850 exch lineto}
for stroke

% fetteres Quadrat und Nullkreis
40 setlinewidth
-1200 -1200 moveto 2400 0 rlineto 0 2400 rlineto
-2400 0 rlineto closepath stroke
-1900 0 moveto 3800 0 rlineto stroke
0 -1900 moveto 0 3800 rlineto stroke

showpage
```

MG270-7, BR_03


PSL1-Teilprogrammcode: Text und Zeichen Rosette (Siemensstern)

```
10 setlinewidth
350 /Times-Roman FS
100 3250 moveto (rosette) show
100 2900 moveto (10 degree) show
100 2550 moveto (radius) show
100 2200 moveto (1,8 cm) show


%Neuer Raster-Mittelpunkt und Nullpunkt
3300 2000 translate

%Zeichnung Rosette, Radius 1,8 cm
0.0 setgray
0 10 350 {newpath 0 0 moveto 0 0 1800
4 -1 roll dup 5 add arc closepath fill} for
showpage
```


MG271-3, BR_09




MG271-5, BR_06_1



MG271-6, BR_06_2



MG271-7, BR_07_1



MG271-8, BR_07_2