





vedi file simili: <http://farbe.li.tu-berlin.de/MI51/MI51.HTM>
<http://130.149.60.45/~farbmertik> o <http://farbe.li.tu-berlin.de>




4-003000-L0 MI510-1N, B2_01




4-003000-L0 MI510-3N, B2_30




4-003000-L0 MI510-5N, B2_39




4-003000-L0 MI510-7N, B2_59




4-003000-L0 MI510-4N, B2_38




4-003000-L0 MI510-6N, B2_40




4-003000-L0 MI510-8N, B3_02




4-003000-L0 MI511-1N, B3_03




4-003000-L0 MI511-3N, B3_05




4-003000-L0 MI511-5N, B3_07




4-003000-L0 MI511-7N, B3_09_1




4-003000-L0 MI511-2N, B3_04



4-003000-L0 MI511-4N, B3_06



4-003000-L0 MI511-6N, B3_08



4-003000-L0 MI511-8N, B3_09_2

<http://farbe.li.tu-berlin.de/MI51/MI51L0N2.TXT> /PS; inizio dell'output
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 1/1

Grafico TUB-MI51; Grafica computerizzata e colorimetria
Serie di immagini MI51, 3D=0, de=0

Input: *rgb/cmyk* -> *rgb/cmyk*
Output: nessun cambiamento

MI51S0A

iscrizione TUB: 20190801-MI51/MI51L0N2.TXT /PS

Applicazione per la misura dell'output su display

TUB materiale: code=rha4ta