



















v http://farbe.li.tu-berlin.de/MN59/MN59L0FA.TXT/.PS; start output
F: 3D-linearisering MN59/MN59LJ30FA.DAT i fil (F), side 1/2



TUB-testplansje MN59; Computergrafikk og fargemetrikk
Bildeserie MN59, 3D=1, de=0

input: $rgb/cmky \rightarrow rgb/cmky$
output: ingen endring



















TUB registrering: 20190801-MN59/MN59L0FA.TXT /PS
anvendelse for måling av display output, ingen separasjon

TUB materiell: code=rha4ta

se lignende filer: <http://farbe.li.tu-berlin.de/MN59/MN59L0FA.TXT /PS>
<http://130.149.60.45/~farbmetri>



v http://farbe.li.tu-berlin.de/MN59/MN59L0FA.TXT /PS; 3D-linerisering
F: 3D-linearisering MN59/MN59LJ30FA.DAT i fil (F), side 2/2




TUB-testplansje MN59; Computergrafikk og fargemetrikk
Bildeserie MN59, 3D=1, de=0, L-cmyn6*

















PE4300L_120830.TXT, 1080 colors, Separation cmyn6*

input: $rgb/cmky \rightarrow rgbdd$
output: 3D-linearisering $rgbb^*dd$

v http://farbe.li.tu-berlin.de/MN59/MN59L0FA.TXT/.PS; start output
F: 3D-linearisering MN59/MN59LJ30FA.DAT i fil (F), side 1/2



se lignende filer: <http://farbe.li.tu-berlin.de/MN59/MN59L0FA.TXT/.PS>
<http://farbe.li.tu-berlin.de/MN59/MN59L0FA.TXT/.PS>



TUB-testplansje MN59; Computergrafikk og fargemetrikk
Bildeserie MN59, 3D=1, de=1

input: $rgb/cmky \rightarrow rgb/cmky$
output: ingen endring

TUB registrering: 20190801-MN59/MN59L0FA.TXT /PS
anvendelse for måling av display output, ingen separasjon

TUB materiell: code=rha4ta

